#######

########## ########
########: 52137

######### © 2001, 2002, 2003 ######## ########## ##########, ###.

####–
############, ### ######## ######## ######## ## ####### ##########, ###. ##–
#####/###### ######## #66001#01###8035 (#######), ## #### ## ### ##### ##### ##–
#######.

####### ## # ########## ######### ## ### ####### ##########.

########.

#####, ###/1, ### #### ### ########## ########## ### ## ######## ### ### #### #####
#########.

###, ### ############, ####, #### ####### #######, ###, ###, ###, ###, #####, #######,
#######, ##########, ##### ### ########## ### ########## ## ########## ##########
############, ###. ## ### ###### ###### ### ##### #########.

#####
######## ### ####### ## ##########. ##### ##### ############ ###### ## #### ###–
#####, ### ### ####### ####### ### ##### ## ### ######### #####, ### ############
######.

########

#########
############## ####### (###) #######, ### ######## ### ## ######### ###, ### ## ##–
####### ### #### ############, ### ### ## ##### ### #######.

########

1. ############ 1
2. ##### ### ########## 2
3. ### ########## 4
4. ### ############# 7
5. ####### ### ####### 9
6. ### ########## ########## 11
7. ### ###### ########## 11
#. ###### ### ########## 11
#. ###### ### ###### 14
#. ###### ### ############ ######## 17
####### ####### 18

1.

(###) ####### ## # ########## ### ###
######## ##### ###### # ###### ############ ## ### ### ############## ####### ###### ## ##########
#######, ### ## ###### ############## ######## ## ####### ############ #####.

1995 ## ##### ##### ### ####### ### ## ### ############, ### ### ### ####### #### #####. ## 1997, ### #### ##### ######### ### #/#### ###### ####### (####) ########### ####–#########, ##### ############ ### ### ### ### ##### ########## ### ###### (## ###### ##########) ##### ##. ## ### #### ## #### #######, #### ############ ### ### ### #### ####### ## # ########.

######## #### ####### ####### ######### ## ####### 5.#, ##### #### #######, ## ###### ## ####### ##–######## ## ####### 4.#, ##### #### #########, ### ##### ######### ####### #### ## ##### ### #######™.

2. ##### ###

2.1.

########. ####### ##### ### ##### ######## ##### ### ### #### ############# #### ### ####### ## ######## ######## ##### ### ### ####### ###### ### ######## ######## ## ###, ### ### ##### #### #### ## ### (### ## ### ######) ### ######### ########## ### ##–#######. ### ##### ####### ## ############ # ########## ### ########### ########### ### # ########## ####### ## ###### #. ###### (###### ## #########) ## 1999. ##### ######## ###### ## ########### ### # #### #### #######, ## ## ## #### ######## ####### ## ## ##### #######. #### ####### ## ## #######, ####### ######## ## ######, ## ###### ####### ### ########### ##### ### ### ###### ### ######## ##–###### ## ###.

#######	### ### ## ########### ### ######### ## ########## #### ### #######–###.
#########	### #### ## ###### ########## ##############.
##########	### #### ## ###### ### ### ### ########## ######### ## ###### ### ##–######### ########### ### ### ######### ## ##### ## #### ### #######.
#####	# ######## ## ####### #### #### ## ####### ## ######## ## # ### ##–#####. ### ##### ######## ########### ##### ### ##### ## ##### ## ##–#### ### #######, #### ######### ## #### ## ####, ### ### ## ######### ### #######.
######	### ########### ########### ### ########## ## ############## ##–##### ## ###### ## ### ######### ### ### ######### ### ######### ##–############ ########### #### ###.
########	### ## ### #### ##### ###### ## ############# ######## ## ###: ##–############, ####### ##########, ####### ########## ### ########–###### ##### ######.
######	# ########## ## ### ## #### ####### ######### ############ # ######–#### ############## ########, ######## #### # ###### (######## ##–######### ########) ###### #### ### ########## ## # ###### ####.
######	### ######## ### ## ############# ########## ########## ### ## ###–### ### ######## ### # ########## #######. # ###### ######## ######## ## #### ######, ### ### #### ########, ###### #### ######## ## ### ### ### #### ##########.
######	### ########### ###### ## ###### ## ### ########## ## ######## #### ### ######, ######## ############## ###########, ###### ### #####–###### ########### ### ##### ## #### ########.
#######	# ##### ## ####### ######### ####### ## ####### ############# ### ######### ####### ##############. ### ######## ### ####### ## # #### ####### #####, ## ### ####### #### ##### ### #### ####### #### #### ## ####### ## ### #### ######.

#######	### ####### ###### ##### ####### ## ######## ## ### ######### ## ### ######. ### ## ##### #### ##########, ####### ##########, ## ###–###### ########### #### ####### ## ### ####### #### #### #######.
#####	# ##### ## ########## ########## #### ### #######, #### ## # ######## ## ##########, ##### ### ######### #### ####### ## ##### ### ######–##.
###########	# ######## ## ######## #### ### #### ######### ## ### #### ######## ## ### #### ######, ######### #### ############## ### ####### #### ## ### ###### #### ####### #########.

2.2. #####

########.

2.2.1. ###### ### ###### ###

alice ##(1)#### ## root.

```
% whoami
alice
% ls -l `which su`
-r-sr-xr-x  1 root  wheel  10744 Dec  6 19:06 /usr/bin/su
% su -
Password: xi3kiune
# whoami
root
```

- ### ######### ## alice.
- ### ####### ## root.
- ### ##(1) ####### ## #### ###### ### ######.
- ### ############## ##### ## xi3kiune.
- ### ########## ## root, ##### ## ### ##(1) ## ###### root.

2.2.2. ###### ### ###### ###

eve ### ## ######## ## ###(1) ########## ## login.example.com, ### ## ### ## ## bob, ### #######. ### ###### #### ###### # ###### ########!

```
% whoami
eve
% ssh bob@login.example.com
bob@login.example.com's password: god
Last login: Thu Oct 11 09:52:57 2001 from 192.168.0.1
Copyright (c) 1980, 1983, 1986, 1988, 1990, 1991, 1993, 1994
 The Regents of the University of California.  All rights reserved.
FreeBSD 4.4-STABLE (LOGIN) #4: Tue Nov 27 18:10:34 PST 2001

Welcome to FreeBSD!
%
```

- ### ######### ## eve.
- ### ###### ## ##### ###(1) #######.
- ### ###### ## ### ####(8) ####### ## login.example.com
- ### ####### ## bob.

- ### ############## ##### ## god.
- ######## #### ## ### ##### ## #### #######, ### ########## ## root.

2.2.3. ######

sshd:

```
sshd auth  required pam_nologin.so no_warn
sshd auth  required pam_unix.so no_warn try_first_pass
sshd account  required pam_login_access.so
sshd account  required pam_unix.so
sshd session  required pam_lastlog.so no_fail
sshd password required pam_permit.so
```

- #### ###### ####### ## ### sshd ####### (##### ## ### ########## ######### ## ### ####(8) ######.)
- auth, account, session ### password ### ##########.
- pam_nologin.so, pam_unix.so, pam_login_access.so, pam_lastlog.so ### pam_permit.so ### #######. ## ## ##### #### #### ####### #### pam_unix.so ######## ## ##### ### ########## (############## ### ####### ##########.)

3. ###

3.1. ########## ###

##########, ##### ### ##–####### #####.

auth
: *Authentication.* #### ######## ######## ###### #### ############## ### ######### ### ############ ### ####### ###########. ## ######## ### ##########:

  - ###_############(3) ############## ### #########, ####### ## ########## ## ############## ##–### ### ######### ## #### # ##### ###### ## # ######## ## ######## #### ## ############## ######.
  - ###_#######(3) ########### ####### ########### #### ## #### ##, ##### ########## ### ######## ######.

account
: *Account management.* #### ######## ####### ########################## ###### ## ####### #####–#######, #### ## ###### ############ ##### ## ### #### ## ### ## ### ######## #### ####. ## ######## # ###### #########:

  - ###_####_####(3) ######## #### ### ######### ####### ## #########.

session
: *Session management.* #### ######## ####### ##### ########## #### ####### ###### ### #########, #### ## ##### ##########. ## ######## ### ##########:

  - ###_####_#######(3) ######## ##### ########## #### ####### ######: ### ## ##### ## ### utmp ### wtmp #########, ##### ## ### #####, ###.
  - ###_#####_#######(3) ######## ##### ########## #### ####### #########: ### ## ##### ## ### utmp ### wtmp #########, #### ### ### #####, ###.

password
: *Password management.* #### ######## ## #### ## ###### ### ############## ##### ########## #### ## #######, ###### ####### ## ### ####### ## ####### ### #### ###### ## ###### ##. ## ######## # ###### #########:

- ###_#########(3) ####### ### ############## #####, ########## ######### #### ## ## ##########–## #### ## #####, ### ### #### #### ##########, ###.

3.2.

####### ### # #### ####### ####### ## ###; ##### ###, #### ### ### ### ## #####. # ### ###### ## # ##### ######### ##### ## ####### #### #### ########## ### ########## ## ### ## #### ########## ### ### ###–####### #########; ######## ########## ### ### ############## ########, ### ########, ####### ### ####® ######## ########, ###, #### ### ######.

3.2.1. ######

####### ########## #### ######### ## # ###### ######, ##### pam_*mechanism*.so (### ########, pam_unix.so ### ### ####® #########.) ##### ############### ######### #### ######## ####### ### ######## ##########, ### ####### ### ######## #### ## #### ## ### ######### #### ## ### ###### ####. ## #### ### #######, #######™ ### # pam_dial_auth.so.1 ###### ##### ## ######## #### ## ############ ###### #####.

3.2.2. ######

######### ######## ### ##############, ##### ## #########, ### ### ### ####### ####### ### ### ###–####. #### ##### ######## ##### ######## #### ###### ############, ##### ##### ## ###### ####### ##### ######## ## ### ###### #########, ## ##### ### ## ### ## #### # ######## ####### ## ### ######## #######.

#######, ## ### ##### ####, ##### ### ####### #### #### ### #### ####### ###### ## ### ### ####### (###–###### 2), ### #### ##### #### ## ## ########### ###### ## ## ######### ###### ##### ## ######. #### ###### ####### ### ## ######## ### ###### ############, ##### ######## ### (## ##### #####) #######–##### ## #### ######### ## ### #### ###### #######.

######## #######™ ### ####### ######## #### # ####### ######, #### ### ### ##### #########, ####### ### ###### ## # #### ## ### ###### #### ### #### ## ######## ## ### ##############.

3.3. ###### ###

###########, ### ### ####### ##### ## #### # ###### ### ### ####### ####–##### ## ### ###_#####(3) ####. ### ###### ######### ### ############## ######## ###### ## #########, ### ## ######## ## # ############## ####. #### ## ### ##### ####### ####### ## ###: ### ########### ### ### ##### ## #### ### ###### ######## ###### (## ### ##### ##### ## ### ####) ###### ## ####### # #### ####.

######, ### ### #### ## ### #### ### ##########. #### ##### ## # ######## ## ############# ##########, #### ########## # ###### ## ######, #### (########) ########## ## #### ## ### ######, ### # ####### #### #### ######### ### ## ######### ### ###### #### #### ### ######.

############# ### ######## ##### ## ######### ## ############# ### ############# #####. ##### ### #### ######### ####### #####:

binding
: ## ### ###### ######## ### ## ####### ###### ## ### ##### ### ######, ### ##### ## ########## ########## ### ### ####### ## ########. ## ### ###### #####, ### #### ## ### ##### ## ########, ### ### ####### ## ########## ######.

  #### ####### #### ### ########## ## ### ## #######™ 9 (#####™ 5.9), ### ## #### ######### ## ####–###.

required
: ## ### ###### ########, ### #### ## ### ##### ## ########, ### ### ####### ## ####### ###### #### ##### ###### #####. ## ### ###### #####, ### #### ## ### ##### ## #### ########, ### ### ####### ## ########## ######.

requisite
: ## ### ###### ########, ### #### ## ### ##### ## ########, ### ### ####### ## ####### ###### #### ##### ###### #####. ## ### ###### #####, ### ##### ## ########## ########## ### ### ####### ## ######.

sufficient
: ## ### ###### ######## ### ## ####### ###### ## ### ##### ### ######, ### ##### ## ########## ########## ### ### ####### ## #######. ## ### ###### #####, ### ###### ## ####### ### ### #### ## ### ##### ## ########.

  ## ### ######### ## #### #### ### ## ######## #########, ########## #### ## ## #### ### ### #### ###### ## # #####, ## ## ########## #### ### binding ####### #### ## #### ####### ## ### ########–###### ######## ##.

optional
: ### ###### ## ########, ### ### ###### ## #######. ## ### ####### ## # ##### ### ###### optional, ### ######## #### ###### ## #######.

##########, ### ######### ### ##### ### ### ######## ### ####–##### ####### ##, ### ####### #### ## ### ####### ###### ## ### #####, ## ### ##### #### ### ######, ##### ## ####### ### ###, ## ########## #### ## ####### ########## ## ######### (###### ####### # binding ## sufficient ###### #########, ## ######## # requisite ###### ######.) ### ####### ## ####### ## ### #### ## ## ##### ### ###### ### ########, ### ### ############ ####### #########.

########, ###### ### #### ######, ## #### ### #### ###### ###### ####### ##### ## ### #### #####. ### #########, # ###### #### ##### ## #### ##### ### ######### ## # ######### ###### ##### ## ####### ######## ##### #### ######### ########## ########## ######### ######### ####### ## ########. ### ##### ######### ########## ## ### #### ###### ## ### #### ##### ## #########, ######### #######.

3.4.

#####. #### #### ## ### ## ##### ##### #####, ### ###### ###### ###### # ######## ##### ####### ## ### ###### ### ##### ### ##########.

1. ## #########, ### ###### ####### ########## ########## ####### # ######### ########## ## #### #### ######## ## ###### ## ###### #### ####### ## root, ## ## ##### ###### root.

2. ### ###### ##### ###_#####(3) ## ########## ### ### ####### ### ####### ### ####### #### ### ### ###### #######, ### ######## # ######## ############ ########.

3. ### ###### ####### ####### ########## ######## ## ### ########## (#### ## ### ########## #### #### ### ### #### ## ### #### ### ###### #### ##) ### ####### ## ## ### ##### ###_###_####(3).

4. ### ###### ##### ###_############(3) ## ############ ### #########.

5. ### ###### ##### ###_####_####(3) ## ###### #### ### ######### ####### ## ######### ### #####. ## ### ######## ## ####### ### ### #######, ###_####_####(3) #### ###### PAM_NEW_AUTHTOK_REQD ####### ## PAM_SUCCESS.

6. ## ### ######## #### ######## PAM_NEW_AUTHTOK_REQD, ### ###### ### ##### ###_#########(3) ## ##### ### ###### ## ###### ### ############## ##### ### ### ######### #######.

7. ### #### ### ######### ### #### ######## ############, ### ###### ##### ###_#######(3) ## #####–#### ### ########## ## ### ######### #######. ## ## #### ## ## #### ####### ## #### ## ###### ## ### ##########, ### ##### ### ############ ###########.

8. #### ### ####### ########## #### #### ##########, ### ###### ##### ###_####_#######(3) ## ### ## ### #######.

9. ### ###### ### ######## ######## ####### ### ###### ############# ########, ####### ### ######### #### # #####.

10.#### ### ###### ## #### ####### ### ######, ## ##### ###_#####_#######(3) ## #### #### ### #######.

11.#######, ### ###### ##### ###_###(3) ## ###### ### ### ####### #### ## ## #### ### #### ## ### ####### ######## ######### ## ### ######### ## ### ###### ## ### ###########.

4. ###

4.1. ### ######

4.1.1. ### **/etc/pam.conf**

/etc/pam.conf. #### #### ######## ### ### ### ######## ### #### ######. #### #### ## ### #### ######### ### #### ## # #####, ## ##### #####:

```
login   auth    required        pam_nologin.so  no_warn
```

###, ## #####: ####### ####, ######## ####, ####### ####, ###### ####, ### ###### #########. ### ########## ###### ### ########## ## ########## ###### #########.

/ ######## ####, ## ##### ### ##### ## ##### ##### ### ### #### ####### ### ######## ###### ## ##########, ### ##### ## ##### ### ########## ######## ### ########## ### ###### ## ###. ### ######## ## ### ######## ### ##### ####### ############## ##### ## ########, ### ### #######™ ##### pam.conf ##### #### ####, ### ######### ##### ############## ###### ############## ##### ## ########. ###### ### ## ####; ###### ### ##### ##### #####.

4.1.2. ### **/etc/pam.d**

####### ### ######### ####### ## ######### ############## #########, ##### ## ### ######### ######### ## ########. ## #### ######, #### ###### ## ######### ## # ######## #### ####### ### #### ## ### ####### ## ####### ##. ##### ##### ### ###### ## /etc/pam.d/.

pam.conf## ####: ### ####### #### ##### ## ########. ####, ####### ## ### ###### pam.conf #### #### ### ######## #######, ### ##### #### ### ###–###### #### ## /etc/pam.d/login:

```
auth    required        pam_nologin.so  no_warn
```

######, ## ## ######## ## ### ### #### ###### ### ######## ######## ## ####### #### ####### #### ## # #### ###### ####. ### ########, ## ### ### #### ###### ### ### su ### sudo ########, ### ##### ## ## #######:

```
# cd /etc/pam.d
# ln -s su sudo
```

####, ## ### #### #### ### ## #### ### ######## ################# ########.

####, ### pam.d ######### #### ##### ## #### #### ## ####### ########## ######## ### ########### ######## ########.

4.1.3. ### ###### ######

#####, ### ######## ### ## ##### ## # ###### ## ######. #### ####### ## ######## ### ### #### ####### ##### ## ######## ######?

######.

4.2. ######### ## # #############

4.1, #### ###### ######, #### #### ## /etc/pam.conf ######## ## #### ## #### ######: ### ####### ####, ### ######## ####, ### ####### ####, ### ###### ####, ### #### ## #### ###### #########.

(###### ### ######) ### #### ## ### ########### ### ######### ####### ##. ## ### ### ######, ##### ## ### ######### ############ ############ ## ######### #### ####### #### ## ####.

/etc/pam.d/ ####### ## /etc/pam.conf, ### ####### #### ## ######### ## ### #### ## ### ###### ####, ### ####### #### ### ###### ############ #####, ##### #### ##### #### ### ######## ####.

3.1, ########## ### #####–######.

########, ### ####### #### ## ### ## ### #### ######## ######### ## ####### 3.3, ####### ### #########, ########## ### ## ######### ### ###### #### ##### ######. ######### ######## ## ######### ###### #### #### ### ####### ### ###### ## ######### #### #### ######## ###### ####, ### #### ###### ## #####–## ## ## ## ############ ### ####### #### ## #### ### ### ######### ########## ####### ##### (##### ####### ####### #### ### ### #######™ ### ####### ## ##.) ##############, ####### #### ### ####### #### ######.

4.3.

#########, ## ## ######### ## ########## ### ######## ### ###########.

###_#####(3), ### ### ####### ##### ### ###### ### ### ######### ####### ### ########## #### ###### ###### (### ### #### ########.) ## ### ## ##### ## ##### ###### ### #####, ### ############# ###### #### ### ###### ### ### other ####### ### ###########.

##########, ### ### ####### ######### ### ##### ### ### ############# ######## ### ##### ### ########### ####### ######## ## #### ###### ###### ## ### #####, ## ### ##### ## ##### #### #### ###### ## ### #############. ##### #### #### ## # ####### ########, ### ###### #### ### ### ##### #### ######## ## ### ####### ######## ### #### ## ######### #### ####### ####. #### # ### ##########, ##### ## ####### #####, ### ######### ##### #######:

1. ### ##### #########

	PAM_SUCCESS	PAM_IGNORE	other
#######	## (!####) #####;	#	#### = ####;
########	#	#	#### = ####;
#########	#	#	#### = ####; #####;
##########	## (!####) #####;	#	#
########	#	#	#

fail ## #### ## ### ### ## # #####, ## #### # ####### ## ########, ### ########## ####### ### ##### #### ######## ## ### ##### ###### #### ######. ##########, ## ######## PAM_SUCCESS.

PAM_NEW_AUTHTOK_REQD ## ####### #### # #######, ###### #### ## ## ###### ######, ### ## ##### ### ###### ######## PAM_NEW_AUTHTOK_REQD, ### ###–####### #### ###### PAM_NEW_AUTHTOK_REQD.

###_#######(3) ###### binding ### sufficient ####### ## ## #### #### required.

###_#########(3) #### ### ###### ##### ##### (#### ### ######–##### ###### ### #### ## ######## ### ### ########), ### ## ### ########## ##### ## ###### binding ### sufficient ####### ## ## #### #### required.

5. ####### ###

5.1. ###_####(8)

###_####(8) ###### ## ### ## ### ######## ####### #########; ## ######## ## ### ####### #### PAM_AUTH_ERR. ## ## ###### ### ####### ######### # ####### (### ## ## ### ### ## ##### #####), ## ### ########## ###### ## sufficient #######.

5.2. ###_####(8)

###_####(8) ###### ###### ###### ### ######### ## ### ############ ######## ## # PAM_TEXT_INFO #######. ## ## ###### ###### ### #########, ### ### #### ##### ## ####### ######## #### ## ############## ###### #### ## ########## ###### ######## ### ############## #########.

5.3. ###_####(8)

###_####(8) ###### ##### ### ##### ######## ## ## ### #### ## # ####### ## #######, ### ### ######### ######### ### ###### ## #### ####### ## ############ #########. ### ######## ########## ## ## ### ## ## ### # ####### ## ##### #### ##### ###### ### ###### #### #########.

5.4. ###_########(8)

###_########(8)

5.5. ###_#####(8)

###_#####(8) ###### ####### ## ####### ########## ## ### ##### ## ##### ########## ## # ########## #### ##### (######## wheel ### ##(1)). ## ## ######### ######## ### ########### ### ########### #####–### ## ### ##(1), ### ### #### ##### ####, #### ## ######### ####### ###### ## ##### #### # ########## #######.

5.6. ###_#####(8)

###_#####(8) ###### ###### ##### ###### ##### ##### ##### #####. ####### ############ ### ## ###### ## ### ########, ### ### ####### ######## ## ## ##### ### ######## ## #### ## ### ##### #### ## #### ## # ##### #######. ### ###_#####(8) ###### ### ###### ## #### ## ######### ######### ### ######.

5.7. ###_###5(8)

###_###5(8)

5.8. ###_###(8)

###_###(8)

5.9. ###_#######(8)

###_#######(8)

5.10. ###_#####_######(8)

###_#####_######(8) ###### ######## ## ############## ## ### ####### ########## ######### ##### ######## ### ##### ############ ######### ## ### #####.######(5) #####.

5.11. ###_#######(8)

###_#######(8) ###### ####### ######## ###### #### /var/run/nologin ######. #### #### ## ######## ###–#### ## ########(8) #### #### #### #### ####### ###### ##### ### ######### ######## ####.

5.12. ###_####(8)

###_####(8) ###### ########## ### ####(4) ############## ######. ### ####(4) ###### ## # ####–############## ######### ##### ### ######## ## #### ######### ## # ###### ######## ## ### ######### ### # ##########, ## ### ######## ### ## ###### ######## ##### ## ##### ## ###### ########## ### ##########, ########### ### #### ### ######## #####. ########, ##### ####(4) ##### ###### # ######### #### ### #### ######### ########, ## ## ### ########## ## ###### #######.

5.13. ###_##########(8)

###_##########(8) ###### ## # ######### ###### ## ###_####(8). ### ####### ## ## ####### ### ##–########## ######## ## ##########(5), ##### ######## ### ########## ##### ##### # #### ### ##### ###–##### ########### ####### ##### ####(4) ## ####### ## ### ######### #######. #### ## #### ##### #### ## ######## ### ### ## ######## ############## #### ######### #####.

#########, ### ###_##########(8) ###### #### ## ###### ## requisite ########### ##### # sufficient ##### ### ###_####(8), ### ###### ### ##### #######, ## ### auth #####.

5.14. ###_########(8)

###_########(8)

5.15. ###_######(8)

###_######(8) ###### ## ### ## ### ######## ####### #########; ## ######## ## ### ####### #### PAM_SUCCESS. ## ## ###### ## # ########### ### ######## ##### ### ## #### ###### ##### ######### ## #####.

5.16. ###_######(8)

###_######(8)

5.17. ###_######(8)

###_######(8)

5.18. ###_######(8)

###_######(8) ###### ####### ####### ## ### #### ## ### #### #### ## ## ### ####### ####### ## (##### ## ####### ## ## ### ## ### #########) ## 0. #### ## ###### ### ############## ######## #### ## ##(1) ## ######(1), ## ##### ### root ###### #### ######### ######.

5.19. ###_#########(8)

###_#########(8)

5.20. ###_####(8)

###_####(8) ###### ####### ####### ## ### #### ## ### ##### ## ### ######### ####### #### ## ### ###### #######. ## ## #### ###### ### ############## ######## #### ## ##(1), ##### ### ######## ## ### ######### ### ## ###### ########.

5.21. ###_###(8)

###_###(8) ###### ######## #### ############## ### ####### ########. ### ############## ####### ###### ##### ### #### ################### ### ###### #### ## ##### ~/.ssh ######### ## ############ ########## ## ###### ##### ##########. ### ####### ####### ###### #########(1) ### ######## ## #### ### #### #### #### ######### ## ### ############## #####. #### ####### ## ############ ###### ### ##### ######, ####### ## # (##### ###(1) ## ####### ######### # ##### #######) ## ## ### #######.

######### ############## #######

5.22. ###_#######(8)

###_#######(8)

5.23. ###_####(8)

###_####(8) ###### ########## ########### ####® ######## ##############, ##### ########(3) ## ###### ### ###### ######### ######## ### ####### ## #### ### ### ######## ## ### #########. ## ##–## ######## ####### ########## ######## (######### ####### ### ######## ########## #####) ### ####–############ ########. #### ## ######## ### ###### #### ###### ######, ## ### ##### ######## ## ###### #### #### ## ######## ########## ######## ### ## ##### #### ########.

6. ### ###########

#######.

7. ### ######

#######.

#. ###### ###

##(1) ##### ###. #### #### ## #### ### ################ #######_#######(3) ############ ########, ##### ## ########## ## security/openpam.h. ## ### #### ##### #### ########## ## # ###### #### # ######### ### #######, ### #### #### ## ####### #### ### ############ ########. # ###### ############ ######## ## ############ ######### ## #########; ### ### ######### ## ######## #, *Sample PAM Conversation Function* ## # #### ######## #####, ### ###### ### ## #### ## ########## ############.

```
/*-
 * Copyright (c) 2002,2003 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ‘‘AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
```

```
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * $P4: //depot/projects/openpam/bin/su/su.c#10 $
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/su.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <sys/param.h>
#include <sys/wait.h>

#include <err.h>
#include <pwd.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <syslog.h>
#include <unistd.h>

#include <security/pam_appl.h>
#include <security/openpam.h> /* for openpam_ttyconv() */

extern char **environ;

static pam_handle_t *pamh;
static struct pam_conv pamc;

static void
usage(void)
{

 fprintf(stderr, "Usage: su [login [args]]\n");
 exit(1);
}

int
main(int argc, char *argv[])
{
 char hostname[MAXHOSTNAMELEN];
 const char *user, *tty;
 char **args, **pam_envlist, **pam_env;
 struct passwd *pwd;
 int o, pam_err, status;
 pid_t pid;

 while ((o = getopt(argc, argv, "h")) != -1)
  switch (o) {
  case 'h':
  default:
   usage();
  }

 argc -= optind;
 argv += optind;

 if (argc > 0) {
  user = *argv;
  --argc;
  ++argv;
 } else {
  user = "root";
 }

 /* initialize PAM */
 pamc.conv = &openpam_ttyconv;
 pam_start("su", user, &pamc, &pamh);
```

```
/* set some items */
gethostname(hostname, sizeof(hostname));
if ((pam_err = pam_set_item(pamh, PAM_RHOST, hostname)) != PAM_SUCCESS)
 goto pamerr;
user = getlogin();
if ((pam_err = pam_set_item(pamh, PAM_RUSER, user)) != PAM_SUCCESS)
 goto pamerr;
tty = ttyname(STDERR_FILENO);
if ((pam_err = pam_set_item(pamh, PAM_TTY, tty)) != PAM_SUCCESS)
 goto pamerr;

/* authenticate the applicant */
if ((pam_err = pam_authenticate(pamh, 0)) != PAM_SUCCESS)
 goto pamerr;
if ((pam_err = pam_acct_mgmt(pamh, 0)) == PAM_NEW_AUTHTOK_REQD)
 pam_err = pam_chauthtok(pamh, PAM_CHANGE_EXPIRED_AUTHTOK);
if (pam_err != PAM_SUCCESS)
 goto pamerr;

/* establish the requested credentials */
if ((pam_err = pam_setcred(pamh, PAM_ESTABLISH_CRED)) != PAM_SUCCESS)
 goto pamerr;

/* authentication succeeded; open a session */
if ((pam_err = pam_open_session(pamh, 0)) != PAM_SUCCESS)
 goto pamerr;

/* get mapped user name; PAM may have changed it */
pam_err = pam_get_item(pamh, PAM_USER, (const void **)&user);
if (pam_err != PAM_SUCCESS || (pwd = getpwnam(user)) == NULL)
 goto pamerr;

/* export PAM environment */
if ((pam_envlist = pam_getenvlist(pamh)) != NULL) {
 for (pam_env = pam_envlist; *pam_env != NULL; ++pam_env) {
  putenv(*pam_env);
  free(*pam_env);
 }
 free(pam_envlist);
}

/* build argument list */
if ((args = calloc(argc + 2, sizeof *args)) == NULL) {
 warn("calloc()");
 goto err;
}
*args = pwd->pw_shell;
memcpy(args + 1, argv, argc * sizeof *args);

/* fork and exec */
switch ((pid = fork())) {
case -1:
 warn("fork()");
 goto err;
case 0:
 /* child: give up privs and start a shell */

 /* set uid and groups */
 if (initgroups(pwd->pw_name, pwd->pw_gid) == -1) {
  warn("initgroups()");
  _exit(1);
 }
 if (setgid(pwd->pw_gid) == -1) {
  warn("setgid()");
  _exit(1);
 }
```

```
  if (setuid(pwd->pw_uid) == -1) {
   warn("setuid()");
   _exit(1);
  }
  execve(*args, args, environ);
  warn("execve()");
  _exit(1);
 default:
  /* parent: wait for child to exit */
  waitpid(pid, &status, 0);

  /* close the session and release PAM resources */
  pam_err = pam_close_session(pamh, 0);
  pam_end(pamh, pam_err);

  exit(WEXITSTATUS(status));
 }

pamerr:
 fprintf(stderr, "Sorry\n");
err:
 pam_end(pamh, pam_err);
 exit(1);
}
```

#. ###### ###

###_####(8), ######## #### ############## ########. ## ###### ##### ### ### #### #### ### ###############, ### ##### ######### ## ####### ########## ## #########: #### ### ### ## ###_###_#######(3), ##### ########## ########## ######### ### #### ### # ########.

```
/*-
 * Copyright (c) 2002 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ‘‘AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
```

```
 * $P4: //depot/projects/openpam/modules/pam_unix/pam_unix.c#3 $
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/pam_unix.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <sys/param.h>

#include <pwd.h>
#include <stdlib.h>
#include <stdio.h>
#include <string.h>
#include <unistd.h>

#include <security/pam_modules.h>
#include <security/pam_appl.h>

#ifndef _OPENPAM
static char password_prompt[] = "Password:";
#endif

#ifndef PAM_EXTERN
#define PAM_EXTERN
#endif

PAM_EXTERN int
pam_sm_authenticate(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{
#ifndef _OPENPAM
 struct pam_conv *conv;
 struct pam_message msg;
 const struct pam_message *msgp;
 struct pam_response *resp;
#endif
 struct passwd *pwd;
 const char *user;
 char *crypt_password, *password;
 int pam_err, retry;

 /* identify user */
 if ((pam_err = pam_get_user(pamh, &user, NULL)) != PAM_SUCCESS)
  return (pam_err);
 if ((pwd = getpwnam(user)) == NULL)
  return (PAM_USER_UNKNOWN);

 /* get password */
#ifndef _OPENPAM
 pam_err = pam_get_item(pamh, PAM_CONV, (const void **)&conv);
 if (pam_err != PAM_SUCCESS)
  return (PAM_SYSTEM_ERR);
 msg.msg_style = PAM_PROMPT_ECHO_OFF;
 msg.msg = password_prompt;
 msgp = &msg;
#endif
 for (retry = 0; retry < 3; ++retry) {
#ifdef _OPENPAM
  pam_err = pam_get_authtok(pamh, PAM_AUTHTOK,
      (const char **)&password, NULL);
#else
  resp = NULL;
  pam_err = (*conv->conv)(1, &msgp, &resp, conv->appdata_ptr);
  if (resp != NULL) {
   if (pam_err == PAM_SUCCESS)
    password = resp->resp;
   else
    free(resp->resp);
   free(resp);
```

```
  }
#endif
  if (pam_err == PAM_SUCCESS)
   break;
 }
 if (pam_err == PAM_CONV_ERR)
  return (pam_err);
 if (pam_err != PAM_SUCCESS)
  return (PAM_AUTH_ERR);

 /* compare passwords */
 if ((!pwd->pw_passwd[0] && (flags & PAM_DISALLOW_NULL_AUTHTOK)) ||
     (crypt_password = crypt(password, pwd->pw_passwd)) == NULL ||
     strcmp(crypt_password, pwd->pw_passwd) != 0)
  pam_err = PAM_AUTH_ERR;
 else
  pam_err = PAM_SUCCESS;
#ifndef _OPENPAM
 free(password);
#endif
 return (pam_err);
}

PAM_EXTERN int
pam_sm_setcred(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_acct_mgmt(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_open_session(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_close_session(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_chauthtok(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SERVICE_ERR);
}

#ifdef PAM_MODULE_ENTRY
PAM_MODULE_ENTRY("pam_unix");
#endif
```

#. ###### ### ############

#######_###–####(3). ## ## ##### ##########, ### ###### #### ### ###### # #### #### ## ### # ############ ######## ###### ######, ### ## ## ### ### ###### ### ########## ###. #### ## ### ### ### ##### #######, #### #### ## ######## ### ###### #### ### ##### #######_#######(3) ## #### ####; ## ####### ## ## ## ## ###### ## # ############ ############ ######## ### ########## ###.

```
/*-
 * Copyright (c) 2002 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ‘‘AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/converse.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <unistd.h>

#include <security/pam_appl.h>

int
converse(int n, const struct pam_message **msg,
 struct pam_response **resp, void *data)
{
 struct pam_response *aresp;
 char buf[PAM_MAX_RESP_SIZE];
 int i;

 data = data;
 if (n <= 0 || n > PAM_MAX_NUM_MSG)
  return (PAM_CONV_ERR);
 if ((aresp = calloc(n, sizeof *aresp)) == NULL)
  return (PAM_BUF_ERR);
 for (i = 0; i < n; ++i) {
```

```
  aresp[i].resp_retcode = 0;
  aresp[i].resp = NULL;
  switch (msg[i]->msg_style) {
  case PAM_PROMPT_ECHO_OFF:
   aresp[i].resp = strdup(getpass(msg[i]->msg));
   if (aresp[i].resp == NULL)
    goto fail;
   break;
  case PAM_PROMPT_ECHO_ON:
   fputs(msg[i]->msg, stderr);
   if (fgets(buf, sizeof buf, stdin) == NULL)
    goto fail;
   aresp[i].resp = strdup(buf);
   if (aresp[i].resp == NULL)
    goto fail;
   break;
  case PAM_ERROR_MSG:
   fputs(msg[i]->msg, stderr);
   if (strlen(msg[i]->msg) > 0 &&
       msg[i]->msg[strlen(msg[i]->msg) - 1] != '\n')
    fputc('\n', stderr);
   break;
  case PAM_TEXT_INFO:
   fputs(msg[i]->msg, stdout);
   if (strlen(msg[i]->msg) > 0 &&
       msg[i]->msg[strlen(msg[i]->msg) - 1] != '\n')
    fputc('\n', stdout);
   break;
  default:
   goto fail;
  }
 }
 *resp = aresp;
 return (PAM_SUCCESS);
 fail:
        for (i = 0; i < n; ++i) {
                if (aresp[i].resp != NULL) {
                        memset(aresp[i].resp, 0, strlen(aresp[i].resp));
                        free(aresp[i].resp);
                }
        }
        memset(aresp, 0, n * sizeof *aresp);
 *resp = NULL;
 return (PAM_CONV_ERR);
}
```

########

#######

[1] *Making Login Services Independent of Authentication Technologies*. ##### ##### ### ####### ###. ### ##–##########.

[2] *X/Open Single Sign-on Preliminary Specification*. ### #### #####. 1#85912#144#6. #### 1997.

[3] *Pluggable Authentication Modules*. ###### #. ######. 1999#10#06.

########

[4] *PAM Administration*. ### ############.

#####

[5] *OpenPAM homepage*. ########## ########. ######## ##.

[6] *Linux-PAM homepage*. ###### #. ######.

[7] *Solaris PAM homepage*. ### ############.