####
####®

######## ######## <andrsn@andrsn.stanford.edu>
########: 52136

####### ## # ########## ######### ## ### ####### ##########.

###, ###, ##/2, #######, ##/2, #/390, ### ######## ### ########## ## ############## ######## ######## ########### ## ### ###### ######, ##### #########, ## ####.

#########, ############, ######, #######, #######, ####### ##### ### ####### ## ### ###### ########## ########## ## ########## ## ######### ########### ## ### ###### ###### ###/## ##### #########.

#####, ###/1, ### #### ### ########## ########## ### ## ######## ### ### #### ##### ### ########## ## ### #### ##### ## ### ###### ###### ### ##### #########.

##########. ##### ##### ############ ###### ## #### ###–#####, ### ### ####### ####### ### ##### ## ### ######### #####, ### ############ #### #### ######## ## ### ### ## ### ### ######.

2018#08#16 13:55:09 ## ###.

########

############### ## ########## #######! #### ############ ## ### ###### ### ## #### ####### *and* ####®### ## ###### #### ######.

########

1. ####### ## ### ####### ### 1
2. ###### # #### #### #### ########## 2
3. ####### ###### 2
4. ####### #### ### ########### 3
5. ####### #### 4
6. ##### ###### ######## 6
7. #### ##### 6
8. #### ####### ########### 7
9. ##### 8
10. ######## ####### 8

1. ####### ## ### #######

(#### ### ### login:) ## # #### ### ####### ###### ############ ## ## root. (#### ####### ############ #### ####### #### ## ######## ### root; ### ### ## ######## ### ## ########, ######### ######## ######### #####, ## ## ########!) ### ######## % ### # ## ### ######### ##### ### ### ###### (##### ### ## #########), #### % ########## ## ######## #### ### # ########## root.

(### ### # ### login: ######)

```
# exit
```

#########. ###, ##### ##### ##### ########, ### ######## #### ####® ## ###############exit, ### EXIT.

####

```
# /sbin/shutdown -h now
```

####

```
# /sbin/shutdown -r now
```

##

```
# /sbin/reboot
```

####+###+######. #### ## # ###### #### ## ## ### ####. #### ## ########## ## /sbin/reboot ## ###### ######## ## ####### ### ## ####, #### ###### #### ####### ### ##### ######. ### ## ### #### ## #### ## ########## #### #####, ## ###?

2. ###### # #### #### ####

root, ### ###### ######## ###### # #### ###

```
# adduser
```

adduser, ## ##### ### ### #### ######## ## ####. ### ##### #### ## #### ### ####### ##### ###(1) ####### ## ##(1), ## ## ######## sh ## ### #######. ######### #### ##### ##### ## ###### #### #######. ##### ######## ### ##### ## /etc/adduser.conf, ## ######## ####.

####### ### ###### # #### jack #### #### #### *Jack Benimble*. #### jack # ######## ## ######## (#### #### ###### ### ##### ##### ## ### ########) ## ## #####. #### ## #### ### ## ### #### ## ###### jack #### ##### ######, #### wheel

Login group is ‘‘jack". Invite jack into other groups: **wheel**

jack ### ### ### ##(1) ####### ## ###### root. #### ### #### ### ### ####### ### #### ### ####### ## ## root.

adduser ### #### ## ###### ####+#, ### ## ### ### ### #### #### # ###### ## ####### #### ### #### ## ###### #### # ### ##. ### ##### #### ## ###### # ###### ### #### ## #### #### ### #### jack## ##### #####, ### #### #### # ### ##### ## #### ######### #### #####.

####, ### exit ## ### #### ## # ##### ###### ### ### ## ## jack. ## #######, ## ## # #### #### ## ## ## #### #### ## ######## ## ## ######## #### ### #### ### #### ### ######### ####### root.

su ## root, ### ### ### ## ## root ### #### ### #### /etc/group, ###### jack ## ### ##### #### (### ##### wheel). ### ##### ### #### ## ######## ##(1), ### #### ######### ### ### ####### #### ######, ##(1), ######### ## ###### ######## ## #######.

####, ### rmuser.

3. #######

####, #### ###### ### ### ### #### ######## #### #### ###### ### ####### ## #### ### ########### ###### #######.

##:

id
: ##### ### ### ### ###!

pwd
: ##### ### ##### ### ####### ####### ####### #########.

ls
: ##### ### ##### ## ### ####### #########.

ls -F
: ##### ### ##### ## ### ####### ######### #### # * ##### ###########, # / ##### ###########, ### ## @ ##### ######## #####.

ls -l
: ##### ### ##### ## #### ###########, ####, ###########.

ls -a
: ##### ###### ##### ##### #### ### ######. ## ### ### root, ### ##### ##### #### ## ######## ### -a ######.

cd
: ####### ###########. cd .. ##### ## ### #####; #### ### ##### ##### cd. cd /usr/local #### #####. cd ~ #### ## ### #### ######### ## ### ###### ###### ####.#., /usr/home/jack. ### cd /cdrom, ### #### ls, ## #### ### ## #### ##### ## ######## ### ########.

less *filename*
: #### ### #### ## # #### (###### *filename*) ######## ######## ##. ### less /etc/fstab. #### q ## ####.

cat *filename*
: ######## *filename* ## ######. ## ## ## ### #### ### ### ### ### #### ### ### ## ##, ##### ########## ### ### ### ######## ## #### ########; ### ### ### ########## #### ###### ##### ###. ##### ########## ##### ## #### #########. ### ##### #### ## ### cat ## #### ## ### ### ##### ## #### #### #######– ###cat .cshrc, cat .login, cat .profile.

.cshrc ### #### ## ### ls ######## (#### ### #### ##########). ### ### ###### ##### ####### ## ######## .cshrc. ### ### #### ##### ####### ######### ## ### ##### ## ### ###### ## ######## #### ## ### ############ csh ############## ####, /etc/csh.cshrc.

4. ####### #### ###

####. *Text* ###### ### ######### ## #### ###### #### ### #### ########## # ####### ## ########.

apropos *text*
: ########## ########## ###### *text* ## ### ###### ########.

man *text*
: ### ###### #### ### *text*. ### ##### ###### ## ############## ### ####® #######. man ls #### #### ### ### ### #### ## ### ls. ##### ##### ## #### ######## ####, ####+# ## ## #### # ####, ####+# ## ## #######, # ## ####+# ## ####.

which *text*
: ##### ### ##### ## ### ###### #### ### ######## *text* ## #####.

locate *text*
: ### ### ##### ##### ### ###### *text* ## #####.

whatis *text*

text #### ### ### ###### ####. ###### whatis * #### #### ### ##### ### ### ######## ## ### ####### #########.

whereis *text*

text, ###### ### #### ####.

whatis ## #### ###### ###### ######## #### cat, more, grep, mv, find, tar, chmod, chown, date, ### script. more #### ### #### # #### ## # #### ## ## #### ## ###, #.#., ls -l | more ## more *filename*. ### * ##### ## # ##########.#., ls w* #### #### ### ##### ######### #### w.

####? #### ######(1) ### ######(1) ###### ## # ######## #### ## ##–##### ######. ## #### ####### ## ### ##### ## ## #### ## #### ### ####### (### ####### #######), ### ##### #### ## ### ### ######## ### #####, ######, ### ####### ########## ### ### ####. ### #### ## root ###, ### ###, #### #### ### #### ## ###### ###### ### ##### ### #### ###.

```
# periodic daily
output omitted
# periodic weekly
output omitted
# periodic monthly
output omitted
```

#######, ##### ###+#2 ## ### ####### *virtual console*, ### ### ## #####. ##### ###, ## ## # ##########, ############## ######. ############ ##### ######## #### ######## ##### ######## ## #### ###### ##### #### ### #######; ### ### #### clear ## ### ###### ## ##### ### ######. #### #### #### ###, ### ##### #### ## #### ## /var/mail/root ### /var/log/messages.

####### #### ######## ## #### ## ###### ################## ## # ###### #### ## # ####® ######, ### ### #### ### ###### #############. ######### ########## ### #### ## ## root ## ## ## ###### #############. #### ################ ### ### ####### #### #### #### ## ##### ### ### ##### ## ####®, ##### #### ## ###### # ### ## ##### ## ####### #### ##### ## ####### ########. ### ##### #### ## ### ### ## ### ### ####### ##### ## ####### ##############, ###### ### ###### ##.##.## *UNIX System Administration Handbook* (##############, 1995, #### 0#13#15051#7)#### ###### ####### #### ### ### #####; ## ##### ######## *Essential System Administration* (######## & ##########, 2002, #### 0#596#00343#9). # #### ######.

5. #######

######, ### #### ## #### #### #####. #### ## #### #### ## ## ### /etc #########; ### ### #### #### ## su ## root ## ## #### ## ###### ####. ### ### ### ### #### ee, ### ## ### #### ### ### #### ###### vi ## ##### ########. ##### ## ## ######### ######## ## ## ## /usr/src/contrib/nvi/docs/tutorial, ## ### #### ### ###### ####### #########.

####, ### ###### ######## #### ## ##. ####### ### #### ## #### /etc/rc.conf. ### ##### #### ### cd /etc ## ### ## ### /etc ######### ### ##:

```
# cp rc.conf rc.conf.orig
```

rc.conf ## rc.conf.orig, ### ### ##### ##### #### rc.conf.orig ## rc.conf ## ####### ### ########. ### #### ###### ##### ## ###### (########) ### #### ####### ####:

```
# mv rc.conf rc.conf.orig
# cp rc.conf.orig rc.conf
```

####### mv ######### ### ######## #### ### ##### ## ### ####. ### ### ### #### rc.conf. ## ### #### ### ######## ####, ### ##### #### **mv rc.conf rc.conf.myedit** (######## ### #### ## ######## #### ###### #######) ### ####

 # mv rc.conf.orig rc.conf

####.

####,

 # vi *filename*

####. ### (### ###### ###) #### vi ## ####### ####. #### ### #### ########:

x
    ###### ###### ### ###### ## ##

dd
    ###### ### ###### #### (#### ## ## ##### ## ### ######)

i
    ###### #### ## ### ######

a
    ###### #### ##### ### ######

i ## a, ### ### ##### ####. Esc #### ### #### ## ####### #### ##### ### ###

:w
    ## ##### #### ####### ## #### ### ######## #######

:wq
    ## ##### ### ####

:q!
    ## #### ####### ###### #######

/text
    ## #### ### ###### ## *text*; /##### (### ##### ###) ## #### ### #### ######## ## *text*.

G
    ## ## ## ### ### ## ### ####

*n*G
    ## ## ## #### *n* ## ### ####, ##### *n* ## # ######

####+#
    ## ###### ### ######

####+# ### ####+#
    ## #### ### ####### # ######, ## #### ## #### more ### view.

######## #### vi ## #### #### ######### ## ######## # ### #### #### vi *filename* ### ###### ### ######## ####, ###### ### ####, ### ####### ## ## #####. vi ######## #### ######### ####### ## ## ###### ##### #######, ### ######### ### #### ############## ##### # ####### #### #### ## ######### ### ## ### ######. (#### ###### ######## #### vi### ## #### ######## #### ### ######### ### ##### :r.) ### ### ### ## #### ##### ## ## #### ### ### ## ####### #### ### ####### #### ##### #### ## ##### ### ######, #### ##### #### :w, ### ### :q! ## ### ### ### ##### #### (#### #### #### :w) #### ### #### ##.

cd ## /etc, su ## root, ### vi ## #### ### #### /etc/group, ### ### # #### ## wheel ## ### #### ### #### ##########. #### ### # ##### ### ### ###### ##### #### ## ### ### ## ### ##### #### ## ### ####,

###, ### ### :wq ## ##### ### #### ## #### ### ####. ######### #########. (### ### ### ### # ##### ##### ### #####, ### ###?)

6. ##### ######

df
: ##### #### ##### ### ####### #######.

ps aux
: ##### ######### #######. ps ax ## # ######## ####.

rm *filename*
: ###### *filename*.

rm -R *dir*
: ####### # ######### *dir* ### ### ######################!

ls -R
: ##### ##### ## ### ####### ######### ### ### ###############; # #### # #######, ls -AFR > where.txt, ## ### # #### ## ### ### ##### ## / ### (##########) /usr ###### # ##### ###### #### ## #### #####.

passwd
: ## ###### ###### ######## (## root## ########)

man hier
: ###### #### ## ### ####® ##########

find ## ###### filename ## /usr ## ### ## ### ###############

```
% find /usr -name "filename"
```

* ## # ######## ## *"filename"* (##### ###### ## ## ######). ## ### #### find ## ###### ## / ####### ## /usr ## #### #### ### ### ####(#) ## ### ####### ###########, ######### ### ##### ### ### ### #########.

####® ######## ### ######### ## ######## & ######, *Unix for the Impatient* (2## ##., ###############, 1996). ##### ## #### # ### ## ####® ########### ## ### ########.

7. ####

#####, ## ### ### ### ########## ## ### #######. ##### ## # ##### #### ## ########### ## ### ####### ######## (##### ## ######## ## #### #### #####) ### ######### ### ####. # #### ####### ## ######## ### ##### ### ## ### ##### ## #### ## ### ### ####. ### ######## ##### ### #### ##### ### ## ### #### (### ### ####### ## ## ######, #### pkg add *package-name*, ##### *packagename* ## ### ######## ## ### ########). ### ##### ### ##### ## ### ######## ### ##### #### ##### ############ ## cdrom/packages/index, cdrom/packages/index.txt, ### cdrom/ports/index, #### ###### ############ ## /cdrom/ports/*/*/pkg/DESCR, ##### ### *# ######### ############## ## ##### ## ######## ### ####### ##### ############.

(#### #### lndir ### ###) ## ########## ##### #### ### #####, #### ## #### ####### #####:

####, ### kermit. ##### #### ## # ######### ### ## ## ### #####. #### ### ############ ## /usr/local (# #### ##### ### ######## ### ### #### ###### ## ######### ## ### #####) ####:

```
# cp -R /cdrom/ports/comm/kermit /usr/local
```

/usr/local/kermit ############ #### ### ### ### ##### #### ### kermit ############ ## ### ##### ###.

####, ###### ### ######### /usr/ports/distfiles ## ## #### ### ####### ##### ##### mkdir. ### ##### /cdrom/ports/distfiles ### # #### #### # #### #### ######### ## ## ### #### ### ####. #### #### #### ## /usr/ports/distfiles; ## ###### ######## ### ### #### #### ####, ## ####### #### ## ## ### ###. ## ### #### ## kermit, ##### ## ## ########.

cd ## ### ############ ## /usr/local/kermit #### ### ### #### Makefile.

```
# make all install
```

/usr/ports/distfiles. ## ### ## ### #### #### ####### ####### ### ### ##### ### ## #### ### ### #### ## /cdrom/ports/distfiles, ### #### #### ## ### ### ######## ##### ####### ####### ### #### ## ## /usr/ports/distfiles. #### Makefile (#### cat ## more ## view) ## #### ### ##### ## ## (### ###### ############ ####) ## ### ### #### ### #### ### #### ##. (### ###### #### #########!) #### ## #### ## /usr/local/kermit, #### ### ######### #### Makefile, ### #### make all install.

8. #### #######

##########. ### ##### ## #### ########## ### ######## ### #### ## ### ####### ####, ### #### ############ #### ### #### ## ### ######### ######. ### ### #### ##### ##### ####### # ###### ## ######## ## ## ### ####### ############.

#######: csh ### sh. csh ## #### ### ############ ####, ### ####### ###### ## ####### #### sh (## bash). ### ### #### ### #### ##### ### #### ## ###### echo $SHELL.

csh ##### ## ####, ### tcsh #### ########## csh #### ### ####. ## ###### ### ## ###### ######## #### ### ##### #### ### #### ####. ## ### ####### ########## ## ######### (csh #### ###), ### ## #### ### ###### ## ### ######### ### #### #### ## #### cd -. ## ## #### #### ###### ## ##### #### ###### #### tcsh. ## ##### #### # ### ######.

#####:

1. ####### ### ##### ## # #### ## # #######, #### ## ### ##### ### ##### #### ## #######.
2. ### chsh ## ###### #### ##### ## tcsh ###########, ## #### tcsh ## ### ###### ## ###### #### ##### ####### ####### ## #####.

####

root## ##### ## ######### ##### #### sh ## csh ## ##### ######## ## ######## ### #### ##### ######## ## ####®; ### ### ### #### # ######## ##### #### ### ###### #### ### #### ###### #### ####. ### ######## ## ## ### su -m ## ###### root, ##### #### #### ### ### tcsh ## root, ####### ### ##### ## #### ## ### ###########. ### ### #### #### ######### ## ###### ## ## #### .tcshrc ## ## ##### ####:

```
alias su su -m
```

tcsh ###### ##, ## #### #### ### /etc/csh.cshrc ### /etc/csh.login #####, ## #### csh. ## #### #### #### .login ## #### #### ######### ### .cshrc ## ####, ###### ### ######## # .tcshrc. #### ### ### ## ## ###### ######## .cshrc ## .tcshrc.

tcsh, ### ### ###### #### ######. ### ### #### ### ######## ## ### ###### #### ### tcsh, ### #### ## # #### ## ### ## #### .tcshrc #### #### #### ### ### #### ######## ### #### #####,

##, ### #### ######### ### ### ##. ## #### ######## # > ## ### ### ## ######## #### ### # # ## ### ### root, ### #### #### ## #### ## ### ####:

= #%# %# %# %#

###, ## ##### ###(#?######) ##### ## ###. ####### ### ### ### ####; ### ### ###### ###### #### ## ## ## ### ###### ##. ## ### ###### ### ###### ### ######. ### ### ### ### .tcshrc ###### ## ###### source .tcshrc.

env ## ### ######. ### ###### #### #### ### #### ####### ######, #####, ### ######## ####, ##### ######## #### ######. # ###### ####### ## ### ### ## #### # ###### ######## ### ###### ### # ####### ####### ### ######## ## ### ####### ## setenv TERM vt100.

9.

root, ### ### ####### ### ##### #### /sbin/umount /cdrom, #### ## ### ## ### #####, ###### ####### ###, ### ##### ## #### /sbin/mount_cd9660 /dev/cd0a /cdrom ######## ##0# ## ### ###### #### ### #### ##### #####. ### #### ###### ######## ## ####### ### ### ##### ### ##### #### #### /sbin/mount /cdrom.

#####. #### ## ## ### #### ########## ###### #### ####### ## #######. ### ##### ### ####### ##### #### ### #####. #### ######## ##### lndir, ##### #### ######### #### ### # ###### ######, ## #### ### #######(#) ##### ## #### ### ######### #####, ####### #### ### ## /cdrom ####### ## ## /usr ### ### ###############, ##### ## ##### #### ### ######## ## ##. #### man lndir.

10. ########

########, ### ## ## ### #######. ## ###### ## ###### #. #####, ######### ## ######## ####### ## ########## #####, ### #### ###### ### ####### ########.

######## ########, <andrsn@andrsn.stanford.edu>