# ############ # #######

###### #####
########: 53096

######### © 2006 ### ####### ############ #######

####### ## # ########## ######### ## ### ####### ##########.

#### ## ### ############ #### ## ############ ### ####### ## ########## ##### ######## ### ####### ## ##########. ##### ##### ############ ###### ## #### ####–####, ### ### ####### ####### ### ##### ## ### ######### #####, ### ############ ##–## #### ######## ## ### ### ## ### ### ######.

2019#06#02 22:47:50 ## ##########.

## #######

#### ######### ###### ########## ###### ## ## ########## #######, ## #### ##### ### ##### #### ##### ######## ### ####### ## ####### #### ############ #########, ######### #### ### ###### ## ### ######## ###### (# ######### #### ##### ## ############## ######).

## ##### ## ##########

1. ############ # ####### ..... 1
2. ####### #### # #### ..... 2
###### ..... 6

## 1. ############ # #######

####### ## ### ########## ########## ############ ### ############ #### <phk@FreeBSD.org>. #### ### ###### ### ####### ## ######## #### ############ #########, ######## #### ### ##### ## ### ######## ######## ##### (# ######### #### ##### ## ############## ######).

##### ###### #### ##### ######## ## ########## ##############, ######### #### ######## # #####–### ######## ########## ######## ######### ## ############. ### ######## ## ########## ######## ## ######## # ######## ## ## ##### ########, ## #### ######### ### ##### ### ############ ###### ######–#######. ## ######## ## ######## # ### ### ######### # ##### ######## # ######### (####) ## ##########.

### ############### ## ######## ########:

- ### ##### # ######## ######### ## ## ##### ###### ### ## ######## # #### ########## ##### ### #####–#### # ##### ## ### ###### ## ########, ## ## ##### ###### ### ## ########.

- ## ### ######## ## ############## # ## ### ######## ##### #### ### ########, ######## #### ######## ######## ### ########, # ##### ### ### ############### ########## #### #### ######### ## ## ###### ## ######## ###### ### ######.

- #### ## ## #### ######## ## ###### ## ######### # ## ###### ########## ## ##### ### ########. ## ### ######### ## ######## ####(8) ######## ## ### ## ######## ## ###### ## ### ##### ######.

- ## ##### ## ##### # ########### # ######## ### ## ## ##### ###### # ######### ## ####### ## #####–########, ## ####### ##### ######## ######### # ############## #### ########## ## ######## ####–###### ## ##########.

# 2. ####### #### # ####

## 2.1. ## ###### ## #######

### ### ### ## ###### ## ######### ######## ## ## ##### ## ####### ######## #######. ## ##### ## ####–########## ###### #### ######## ### ####### ## #### ######:

- ### ########### ## ## ######: code#1 # code#2.
- ## ######### ### ####### ## ##############, ## #### ##### ### ####### #### ## ########## /cfg ## ###### ## #########.

##### ########### ########### ## ###### #### #### #######.

### ########### /etc # /var ### ###### ##(4) (######).

## ######### ### ####### ## ############## ###### ## ## ########## /cfg. ######## ######## #### ## ##–######## /etc # ## ##### ########## #### ### ######### ## #### ####### #### ## ######## ### #######; ### ############, ## ######### #### ###### ######## ########### ##### /etc ## ###### ##### ## ########## /cfg ## ## ###### ### ### ####### ######### ####### ## ######### ## #######.

> ####### 1. ##### ############## ############ ## **/etc/resolv.conf**
>
> ```
> # vi /etc/resolv.conf
> [...-]
> # mount /cfg
> # cp /etc/resolv.conf /cfg
> # umount /cfg
> ```

> ####
>
> ## ######### ### ######## /cfg ####### ### ####### #### ## ## ######## # ###### ## ########## ### ########## ## ### ######## ## ##############.
>
> ######## /cfg ####### #### ## ###### ## ## ### ##### ####, ############## ## ## ####### ####### ## ####### ## ## ##### ## ############## ###### ### ##### ##### ######## ############## ### ## #### ###### ## ########## # ## ######### (#### ###### ## ###–########## ### ####### ## ######## ###### ### ##### ##### ### ###### ### #######).

## 2.2. ######## ### ###### ## #######

### ###### ## ####### ## ####### ###### ## ###### ##### ###### nanobsd.sh, ### ## ######### ## ## #####–##### */usr*/src/tools/tools/nanobsd. #### ###### #### ### ######, ### ##### ### ####### ## ##### ## ############## ###### ## ######## ##(1).

### ######## ########## #### ######## ### ###### ## ####### ###:

```
# cd /usr/src/tools/tools/nanobsd
```

```
# sh nanobsd.sh
# cd /usr/obj/nanobsd.full
# dd if=_.disk.full of=/dev/da0 bs=64k
```

###### ## ########## ###### ## ########## #### ### ###### ## ########## ## #######.
######## ## ####### ## ##########.
###### ## ########## ###### ### ## ##### ##### ## ########## ### ######## ##########.
####### ####### ## ## ##### ## ##############.

## 2.3. ############ ### ###### ## #######

#### ## ############# ## ############## ### ########## # ### ########## ## #######. ####### ## ## ### ## ####### ### ###### ###### ## ######### ############# ### #######.

####### ## ######### ####### ####### # nanobsd.sh # #### ## ############# ##### ## ####### myconf.nano ########## ## ## ########## ######:

```
# sh nanobsd.sh -c myconf.nano
```

## ############### ##### ########## ## ### ######:

- ######## ## #############
- ######### ##############

### 2.3.1. ######## ## #############

### ### ############ ## #############, ## ####### ########## ### ######## ####### # ### ###### buildworld # installworld ### ####### ## ########## ## #######, ### #### ####### ######## ######## ####### ## ####### ## ########## ######### ## #######. # ###### ## ##### ######## ## ####### ####### ## #######, #### ### ##### ###### ## ## ####### ### ####### #### 64##. ##### ######## ##### ######## ## ############ #### ####### ## ###### ## ####### ### ###, ##### ### ######## ########## ## ## ###### # ### # #### ######## ## ####### ## #######.

## ####### ## ############ ######## ## ######## ## ############ ### ########### ### ####### ### #######. ### ########## ### ########### ###:

- NANO_NAME # ###### ## ## ########## (######### #### ##### ### ####### ## ### ########## ## ###–####).
- NANO_SRC # #### ## ####### ###### ######### #### ######## ## ######.
- NANO_KERNEL # ###### ### ####### ## ############ ### ###### ######### #### ######## ## ######.
- CONF_BUILD # ######## ####### # ## ##### buildworld ### ####### ## ##########.
- CONF_INSTALL # ######## ####### # ## ##### installworld ### ####### ## ##########.
- CONF_WORLD # ######## ####### # ### ###### buildworld # installworld ### ####### ## ##########.
- FlashDevice # ###### ## #### ## ##### ### ## #####. ######## FlashDevice.sub #### ### ########.

### 2.3.2. ######### ###############

## ####### ########## #### ####### ## ####### ########## ######### ### ##### ## ## ####### ## #####–########. ## ######### ####### ####### ## ###### ###### ## ######### ##############:

```
cust_foo () (
 echo "bar=baz" > \
  ${NANO_WORLDDIR}/etc/foo
)
```

```
customize_cmd cust_foo
```

## ####### ### #### ## ### ####### ## ############### ## ## #########, ## #### ###### ## ###### ### ####### ### ########## /etc ## 5## # 30##:

```
cust_etc_size () (
 cd ${NANO_WORLDDIR}/conf
 echo 30000 > default/etc/md_size
)
customize_cmd cust_etc_size
```

##### ### ####### ######### ## ############### ######### ### ####### # ###### #### ### ######:

- cust_comconsole # ########### #####(8) ## ### ############ ### (### ##### ## ########### /dev/ttyv*) # ##–###### ## ### ### ###### ##### ###1 #### ## ####### ### #######.
- cust_allow_ssh_root # ####### ### root ## ########## ######## ####(8).
- cust_install_files # ####### ######## ##### ## ########## nanobsd/Files, ## #### ######## ####### ####### ###–### #### ## ############## ### #######.

### 2.3.3. ######### ########

###### ######### ######## # ## ###### ## ####### ########## ### ####### #############. ## ######### ####### ######### ##### ### ######## ######## ## /usr/src/tools/tools/nanobsd/packages:

```
install_packages () (
mkdir -p ${NANO_WORLDDIR}/packages
cp /usr/src/tools/tools/nanobsd/packages/* ${NANO_WORLDDIR}/packages
cp $(which pkg-static) ${NANO_WORLDDIR}/
chroot ${NANO_WORLDDIR} sh -c 'cd packages; /pkg-static add *;cd ..-;'
rm -rf ${NANO_WORLDDIR}/packages ${NANO_WORLDDIR}/pkg-static
)
customize_cmd install_packages
```

### 2.3.4. ####### ## ####### ## ##############

## ####### ######## ## ## ####### ## ############# #### ##### ### ###### ############# ## ####### ###### ###:

```
NANO_NAME=custom
NANO_SRC=/usr/src
NANO_KERNEL=MYKERNEL
NANO_IMAGES=2

CONF_BUILD='
WITHOUT_KLDLOAD=YES
WITHOUT_NETGRAPH=YES
WITHOUT_PAM=YES
'

CONF_INSTALL='
WITHOUT_ACPI=YES
WITHOUT_BLUETOOTH=YES
WITHOUT_FORTRAN=YES
WITHOUT_HTML=YES
WITHOUT_LPR=YES
WITHOUT_MAN=YES
WITHOUT_SENDMAIL=YES
WITHOUT_SHAREDOCS=YES
WITHOUT_EXAMPLES=YES
WITHOUT_INSTALLLIB=YES
WITHOUT_CALENDAR=YES
WITHOUT_MISC=YES
```

```
WITHOUT_SHARE=YES
'

CONF_WORLD='
WITHOUT_BIND=YES
WITHOUT_MODULES=YES
WITHOUT_KERBEROS=YES
WITHOUT_GAMES=YES
WITHOUT_RESCUE=YES
WITHOUT_LOCALES=YES
WITHOUT_SYSCONS=YES
WITHOUT_INFO=YES
'

FlashDevice SanDisk 1G

cust_nobeastie() (
 touch ${NANO_WORLDDIR}/boot/loader.conf
 echo "beastie_disable=\"YES\"" >> ${NANO_WORLDDIR}/boot/loader.conf
)

customize_cmd cust_comconsole
customize_cmd cust_install_files
customize_cmd cust_allow_ssh_root
customize_cmd cust_nobeastie
```

## 2.4. ############ #######

## ####### ## ############# ## ####### ## ############# ######:

1. ####### ### ##### ###### ## #######, #### ## #########.

2. #### ## ##### ###### # ### ######### ### #### ## ## ####### ####### ### ## ######### ## #########.

   ## ########## ### ########## ##### #### #### # ## ########## ####### ## ####### ## ### #####, ## ##### ## #### _.disk.full (### ######## ## ###### ######## ### #####), ## ####### ## ###### _.disk.image (## #### ######## ## ###### ## ### #### ######### ### #######).

3. ######## # ######## ## ####### ##### ## ######### ###### #########.

4. ## #### ####### #############, ## ############# ##### ##########.

5. ## #### #### ###, ######## ## ## ######### ######## (### ######## ## ####### ###### ### ######## #############), #### ######### ## ############# ### ####### ### ###### #### ### #######. ####### ### ######### ## ## ##### ###### # ###### ## #######.

#### ######## ## ##### ###### ## ## ####### ####### ######, ## ####### #### ### ####### updatep1 # updatep2 ### ## ########## ## ## ########## /root, ########### ## ## ######### ##### ## ### #### ########## ## ####### ######.

##### ### ######### ### ## ########## ########### ## ## ####### ######### ## ##### ###### ####### # ## #### ## ############## ### ## ########, ## ####### ######## ### ## ##### #### #######:

### 2.4.1. ###### ###(1)

## ## ######### ## ############# ## ### ######### #### #####, ####### #### #######:

```
# ftp myhost
get _.disk.image "| sh updatep1"
```

### 2.4.2. ###### ###(1)

## ######## ### ############# ######, ######### #### #### #######:

```
# ssh myhost cat _.disk.image.gz | zcat | sh updatep1
```

### 2.4.3. ###### ##(1)

##### ######## #### ####### ## ## ####### ###### ## #### ########## ### ######### ####(8) # ####(8):

1. ## ###### #####, #### ## ###### ### ## ## ####### ### ## ######### ######### ## ###### # #### ### ##### ## ###### ## #######:

   ```
   myhost# nc -l 2222 < _.disk.image
   ```

   > ####
   >
   > ######### ## ### ## ###### ##### ## #### ######### #### ####### ########## ######### ### ####### ####### ### ## ########.

2. ######### ## ####### ######### ## ##### ###### # ####### ## ###### updatep1:

   ```
   # nc myhost 2222 | sh updatep1
   ```

# ######

#
#######, 1