############
#####® ############

#######, ####
######: 43184

####### ### © 2008 # ####### ############ #######

########.

########.

#####, #######, ############, #386, #486, #######, ####### ## #### ## ##### ########## #### ################## ######### #### ########## ######### ## ######## ########## ## ### ###########.

###, ###. ######### #### ########## ######### ## ######## ########## ## ### ###########.

###########.

#######. #### ##### ########## ##### ### ##### # ##############, ## # ####### ########## ######## #### # ##########, # ########### # #### #### # #(#)# ######### ######.

2013#11#13 07:52:45 #### ###.

#######

#######, #### ####### ############# # ####### ######## # ################## #####® ###############.

Fordította: Páli Gábor, utolsó ellen#rzés: 2010.11.28.

########

1. ######### 1
2. ##################: #### #### # ####? 2
3. ######## ## ######: ########## ########## ####### ##### 2
4. # ######## ########: #### ###### # ###### #######? 4
5. # ####### ########## 5
6. ######## 5
7. # ####### ########## 6
8. ######: ######, ## ### ########### 7
9. ####### ######### 8
10. ####### 8

1.

#####® ##### ######## ########## ########## ############, ###### ##### # ############ ## ###### #####® ############ ########## ##### ############ ##########

####### #########. ## ########## #### ### ####### ####### #########, ## ### ########## # ### ######## ########## ##### ########### ##############.

###########, #### ######## ### ############ # ####### #########. ########## ### ### ### ###### ##### ###, #### ########## ##### ########## # ############, ##### ######## ## # ####### ######### # ####### ########## #### #########.

2. ##################: #### #### # ####?

####, #### # ########## ### # #### ## ############## ################. ###, # #### ### ## ############### ### ######### ###. ######## # ####(1) ## ############### ################ # ##########. ############# # ####, # ##### ####### ########## ################## ######### ############ # ####### ####### ## ##################.

#############, ##### # ####(1) ####### ############ ###### ############## ## ############### ####################. # root ########## ############### ################### ################ ####### ### ##########. ##### ###, #### #### # #################, ####### ### ###### ## ###############, ######### # /usr/local/bin #### # /usr/bin ############ ##########, ## ######## ################ ############, #### ###### ## ################### ### ###### ##############. ##### ######### # root ### #### ##### ###### # ##### ############## ##################, ###### ########## ###############, #### ## ###### ##########. #### # ##### # root ########## ### ##############, # toor ########## ###### #####, ####### ## ############## ##### ######### ################### ## #############. # #### ############ # #### ########## ########## ########## ######## ######### ### ###### (#######).

3. ######## ## ######: ########## ########## #######

####®### ########## (# ###### ##########, ############, # ######### ########## ## ############) ### ## ########### ############ ####### ### ###### ## ########## # #######: #### # ######## ## # ######. # ########## ######## ###### #### ## ###### ###### ######## #### # ##### ######## ##.

3.1.

###########, ####### ########## # ######/###### ############ ############ .deb, #### # ### ###/###### ############ ############ .rpm ############. # ######## # ###_###(1) ########### ############. ####### ## ###### ####### ## ###### 2.2 ########## ##### ###:

```
# pkg_add /tmp/apache-2.2.6_2.tbz
```

-r ########## #### ######### # ###_###(1) #########, #### ####### ###### ## ## ######### # ########, ######## ##### ##########:

```
# pkg_add -r apache22
Fetching ftp://ftp.freebsd.org/pub/FreeBSD/ports/i386/packages-6.2-release/Latest/apache22.tbz... Done.
Fetching ftp://ftp.freebsd.org/pub/FreeBSD/ports/i386/packages-6.2-release/All/expat-2.0.0_1.tbz... Done.
Fetching ftp://ftp.freebsd.org/pub/FreeBSD/ports/i386/packages-6.2-release/All/perl-5.8.8_1.tbz... Done.
[nyissz]

To run apache www server from startup, add apache22_enable="YES"
in your /etc/rc.conf. Extra options can be found in startup script.
```

##########

(6.2, 6.3, 7.0 ###., ##### ### ### ############), ##### # pkg_add -r ## ##### ######### ######## ########## ##### #########. #### # ######## ######## *nem feltétlenül* ## ########## ######## ########## #########. ### ## ############### ########## ##### ###### #######, ## # PACKAGESITE ########## ######## ## ftp://ftp.freebsd.org/pub/FreeBSD/ports/i386/packages-6-stable/Latest/ ######## ########, ## ### ######## # 6.# ########## ######## ########## ########## ########## ##.

#######! #### ######## ########## ########.

###############, #### # ############## ##########.

3.2.

##########. # ############## ########## Makefile ########## ## ######### ###########, ######## # ######### ########### ########### ######## ### ####, #### # ######### ## ############ ########. ###### ########## ### ######, ##### # ######## ######## ######## ## ########## ###########, ######## # ######### ############, ########## # ######## ## ##### ######## ## ########### (######## ######## ######## ## ###### ######### ########).

##############, #### ######## ########## #### # ########, # /usr/ports ########### ##########. ### ######## ############, #### # ############### ## ############## # ######## ########## #####. ########## # ############### ### ### ############ #####, # ##########(8) ############ ########### # ################, #### ######## # ####(1), ######## ########(8) ############ ############ # ######## ######## ########## ###########. # ############## ############# ######### ########## ############ # ######### 4.5.1. ###########.

(#########) #### ## #### ######## ## ##### #### ########### ## ## #### ########## # #########. # ######### ######## ## ###### 2.2 ########### ########## # #################:

```
# cd /usr/ports/www/apache22
# make install clean
```

######, #### # ########## ########## ##### ###### ###### ###### #### ############. ######## ###### ## ###### 2.2 ########### ######## ##########, # WITH_LDAP ####(1) ######## ########### ################ # ###_#### ###########:

```
# cd /usr/ports/www/apache22
# make WITH_LDAP="YES" install clean
```

#########.

3.3. ###### #### ########, ##### ######## ##########?

######, ##### ######## #### ##### ### ###### #########, #### ######### (######) #### ######### ############ ## ###############. ######### ########## ######### # #### ########:

- ######## ######### (# ######## ############ ########### ######## ###### ###### ## #########).

- ### ######### ########### # ########## ############## #########.
- ### #### ################## ############ # #############.
- # ######### ############ ############# ###############. (# ######## ######### ########## ############## #########. # ###### ######## ####### ############ ### ###### ####### ####### ##############, #### ####### ####### ####### ########## #####, #### ########## # ######### ############### ######.)
- ## ########## ######, ##### #### # ##### ############# ## ############ # ###########.

#########, ##### # ######## ###### ######### ########## ########## #########. ###### ####### ####### ##### ## ########## ########, ##### ##### # ######## ####### ############. (## ######### ## #######, #### ## ########## # ########### ############, ## ##### ############ #### ####### ######, ##### # make package ####### ########## # ######### ## ###### ######## #########, #### ######### ###### ### ############.)

4. # ######## ########: #### ###### # ###### #######?

#####® # #### ################ ####### ##########, ######## # ####### # ########## ### ###### ####(8) #########. # ### ###### ####(8) ###### ######### ###### ####### ## ### ####### /etc/inittab ########. ######## ## ##(8) ####### # ######## #########. ## /etc/rc ####### ######### ## /etc/defaults/rc.conf ## /etc/rc.conf ############, ########## ############, #### ###### ################ ######## ##. # ######## ################ ###### ## /etc/rc.d ## # /usr/local/etc/rc.d ############# ######### ######### ############### ############ ####### ##. #### # ######### ######### # #####® ############ ## /etc/init.d ########## ######### ############.

A szolgáltatások indításáért felel#s szkriptek miért két különböz# helyen találhatóak? ## /etc/rc.d ########## ######### ######### ## ############### ###### (#### ####### # ####(8), ####(8), ######(3) ## # #####). # /usr/local/etc/rc.d ########### ##### # ########### ##### ########### ############, ######## ## ######, ##### ###. ########## ###########.

Mi a különbség az „alaprendszerben” található és a felhasználó által telepített alkalmazások között? # ######### ### ########## ######### ############ ##########. ### ######### ### ######## ##########, #### # ##############, # ############### ################### ## # ######## ######## ########### (#### ####### # ##(1), ###(1), ##(1) ###.) ###### ########## ## ##### ##. ### ######## ## #################. # ########### ##### ########### ############ ########## ####, ######## ### ###### ##### ## #################, ####### ## ######, #11, ####### ####### ###. #### ######### # ####### ####### ## ################## ##############. ##### # ############ ##### ########## ############## ########## ############ ## #################, ##### #### # /usr/local/ ########## ########. ##### ############## # ############ ##### ########## ######### # /usr/local/bin ###########, ### # ######## ####### ############ ########## # /usr/local/etc ########### ###########, ## ### ######.

/etc/rc.conf ########### (#### ##.####(5)) ###### ############ # SzolgáltatásNév_enable="YES" ### ###########. # ######## ############### ############ ## /etc/defaults/rc.conf ########### ########### ###, ###### ## /etc/rc.conf ########### ###### ############. ## ############### ######## ############## ################ ########## ##### # ########### #### ## ######### ## ######### # ######## ######## ##############.

/etc/rc.conf ########### ######## #### ######### ##### ########## ## ####(8) ## ###### 2.2 ################ ###########, ######## ## ###### ######## ######### ## ### ###########.

```
# az SSHD engedélyezése
sshd_enable="YES"
```

####### ############ #####® ############
#######

```
# az Apache és benne az SSL támogatásának engedélyezése
apache22_enable="YES"
apache22_flags="-DSSL"
```

/etc/rc.conf ########## ############ # ################, # ############ ## ## ###### ######## ###### (# ######## ############ ######):

```
# /etc/rc.d/sshd start
```

##############, ##### # ############ # forcestart ######### ########## ###### ##########:

```
# /etc/rc.d/sshd forcestart
```

5. # #######

5.1. ########

ethX ##### ######### ####### # ####### ## ##### ######## ###### ############ ####### ## ##### ### ######### ##########. ## ########(8) ### ####### ########## ### #####® ### 1000 ######## ###### ####### ### (##0 ## ##1):

```
% ifconfig
em0: flags=8843<UP,BROADCAST,RUNNING,SIMPLEX,MULTICAST> mtu 1500
        options=b<RXCSUM,TXCSUM,VLAN_MTU>
        inet 10.10.10.100 netmask 0xffffff00 broadcast 10.10.10.255
        ether 00:50:56:a7:70:b2
        media: Ethernet autoselect (1000baseTX <full-duplex>)
        status: active
em1: flags=8843<UP,BROADCAST,RUNNING,SIMPLEX,MULTICAST> mtu 1500
        options=b<RXCSUM,TXCSUM,VLAN_MTU>
        inet 192.168.10.222 netmask 0xffffff00 broadcast 192.168.10.255
        ether 00:50:56:a7:03:2b
        media: Ethernet autoselect (1000baseTX <full-duplex>)
        status: active
```

5.2. ## ######

########(8) ########## ###### ######## ########. ## ######## ########## ####### #### ##### ##### ### ## ############ ######## ##, ## ########## ## /etc/rc.conf ##########. # #### ######### ######## ######## ### ######## #####, ######## ## ### ############### #######:

```
hostname="szerver1.minta.com"
ifconfig_em0="inet 10.10.10.100  netmask 255.255.255.0"
defaultrouter="10.10.10.1"
```

##########:

```
hostname="szerver1.minta.com"
ifconfig_em0="DHCP"
```

6.

######### # ######## ######### ######## ###########, # ####### ## ##### ### ################## ###########. # ####### ##### ########### ##### ######## #######:

- ##########
- ########

- ##

##########, ##### #### (## #### ################## ## ####(8) ######### ###### #######) # ####### ########## ##### ######### ## ############# ######. # ################### ################ ## ######### ###### ######## ########### ############### ## #### ############# # ########(4) #############.

#################:

```
ipfw add allow tcp from any to me 22 in via $ext_if
```

##. ### #### ####### ##### ############## ####, #### ######### ########## ## #########, ###### #### #########, ##########, ########, ##/##### ## #########.

#################:

```
pass in on $ext_if proto tcp from any to any port = 22
```

######, # ##, ## ####### ####### ###########. # ## ########## ## ######## ########### #######. ###### # ## ############ ######## ##### ###### ######## ## ######## ######## ##############. # ############ (###) ################### ############## # ## ## ####(4) ############ ########### ##.

#################:

```
pass in on $ext_if inet proto tcp from any to ($ext_if) port 22
```

7. # #######

###########: ############, ######### ## ############### #############.

#####, ####### ## ####### ### ###### # ########## ############ ##. ##### ##### ############### #### # ####### ############## ###### #### (#####) ######### # ####### ### (########## ########## ######) #############. ###### ## ##########, ## ###### ######### # ############# ## # ##### ####### ###########. # ######## ############# ############ ######## ## # ####### ######### ############ ##### #########.

#####® ###### ############ ######## yum #### apt-get ######### ###### ############### #######. # ###############(8) ####### ####### # ############# ## ######## ######. ## # ########## ######## # ####(8) ############# ##########.

##########

####(8) ############ ######### # #############, # #######(1) ############ ######### ######## # freebsd-update cron ######### ##########, ######## ############ ########### ##### ###############, #### ######### #### ########## ## ########## ######## # ########.

```
0 3 * * * root /usr/sbin/freebsd-update cron
```

#######, # ############### ########## ########## ### ########## ########. ######## ## ############### # ################, ## # ########### ######### # ######### (#######) ######.

8. ######: ######, ## ###

#####® ##### # /proc/sys/net/ipv4/ip_forward ############# ###### ##########, #### ## ########## ########## ############### ##############. ##### # ######(5) # ####### ######### ########## ### ########## ######, ##### ### # ######(8) ########## ######### ### # ######## ##### ########## #######. (# sysctl ####### #####® ##### ## ######## ############.)

########, ##### ## ###### ##### ############ ##, #### ############### # ####### #############:

```
% sysctl net.inet.ip.forwarding
net.inet.ip.forwarding: 0
```

-a ######### ########## # ######## ###### ######### ########## ## ###### ########:

```
% sysctl -a
kern.ostype: FreeBSD
kern.osrelease: 6.2-RELEASE-p9
kern.osrevision: 199506
kern.version: FreeBSD 6.2-RELEASE-p9 #0: Thu Nov 29 04:07:33 UTC 2007
    root@i386-builder.daemonology.net:/usr/obj/usr/src/sys/GENERIC

kern.maxvnodes: 17517
kern.maxproc: 1988
kern.maxfiles: 3976
kern.argmax: 262144
kern.securelevel: -1
kern.hostname: server1
kern.hostid: 0
kern.clockrate: { hz = 1000, tick = 1000, profhz = 666, stathz = 133 }
kern.posix1version: 200112
...
```

##########

######## sysctl######## ############.

########## ##### ########, ###### ##### ########## ##### # ###### ############, #### ####### ##### ########## #########, # ############### ############ # #####(1) ############, #### # ####### ##### ############## ##########. (#### # ####### ##### ############## ### ##### ###### ################, ### #########(5) ######### ########.) # ###### ###### ################## ################## # ########## #### ######### ## /etc/fstab ###########:

```
proc            /proc        procfs  rw,noauto      0       0
```

##########

noauto ######### ########## ###############, #### # /proc # ############### ##### ####### #################.

##############:

```
# mount /proc
```

9. #######

9.1. # ########

####### ####### (### ###/######)	# ######### ###########	######
yum install csomag / apt-get install csomag	pkg_add -r csomag	# *csomag* ########## ### ###### #############
rpm -ivh csomag / dpkg -i csomag	pkg_add -v csomag	###### ##########
rpm -qa / dpkg -l	pkg_info	# ########## ######## #############

9.2. # ########

####### #######	# ######### ###########	######
lspci	pciconf	# ###### ######## #############
lsmod	kldstat	# ######### ################### ###########
modprobe	kldload / kldunload	####### ######### ## ############
strace	truss	# ############### ############

10.

#####, #### ## # ###### ###### ######## ## #####, #### ########## ########## # ###########. ## ## ######## ##### ### ###### ########## ######, #### ######## ########## ###### ########, ### ### ### #########, ##### ############ ######### #### # ####### ###########.