######
(###)

########## ########
#######: 45050

######### ##### © 2001, 2002, 2003 ######## ######### ##########, ###.

############, ######## ######## ######## ## ####### ##########, ###. # ###### ##### ## ######### #66001#01###8035 # #####/###### (#######), ### ##### ##–############## ######### ##### #####.

####### ### ################## ######## ##### ####### ##########.

########.

#####, ###/1 # #### ### ################## ######## #####, # ## ######## # ### #### ##### ### ######## ##### #### ##### # ########## ###### # ###### #######.

###, ### ############, ####, #### ####### #######, ###, ###, ###, ###, #####, #######, ##########, ##### ### ######## ##### ### ################## ######## ##### ### ############, ###. # ########## ###### # ###### #######.

##########, ############ ############### # ########## ### ########## ##### #########, ########## # ######## ######## #####. ##### ##### ########## ##–######## # #### #########, # ####### ####### ######## # ######## #####, # ########–### ########## #### #### ### #(#)#.

2014#06#13 14:53:24 #####.

#########

#########, ####### # ###### ########## ######–###### ####### ############## (### # ######### ############## #######), # ######–########, ### ######### ###, ### ############# ### # ########## # ### ######### ##–#### ###.

##########

1. ######## 2
2. ####### # ########## 2
3. ###### ### 4
4. ######### ### 7
5. ###### ### ## ####### 9
6. ################ ########## # ### 11
7. ################ ###### ### 12
#. ###### ############## 12
#. ###### ########## 15
#. ###### ####### ############## ### 17
############## ########## 19

1.

########## ######### ############## ####### (###) ######## ########## ### ### #####, ######### # ###############, ####### ######### ########## ############## ######### ##### ###### ############## ####### ########## ##### ####### ###, # ######## ######## ############## ########### ############## ################ ######.

1995 ####, # ### ## ###### ## #######. # 1997 #### #### ##### ############ ############### ############ ## #/#### ###### ##### ## (####), ### ############### ### ### ### # ######## ########## ### ########### (### ########## ##–############) #######. ## ###### ######### ##### ######### ### ############ ### ## #### ####### ## ########.

5.#, # ####### ############ #######, ### ######## ### ####### 4.#, ############ #########, # ###### ############ ######, #####, ### ##### # #######™.

2. ####### #

2.1.

############, ############ # ###, ########## ########. ## ############ ###### ##### # ###, ## #######–##### #### ## ###### ####### ####### ######### ########## ####### ### ######### ######## # #######–#### # ### ######, # ########, ######## ### ########## (## ## ##########) ###### ####### # ############. ###### ######## ####### ############### # ############# ############ #### ######, ####### ####### ###### #. ###### (##### #########) # 1999 ####. #### ##### ############, ####### ###### ######, ### ##–######## ####### ######, ###, ## ###### ###### ###### ######, ## ######## ## ############. ##### ####–#### #######, # ############ ####### ## ###### ###### ########, #### ###### # ############### ######–##### ######## ### #### ########## # ######## ###.

####### ###### (#######)	##### ##########, ####### ######### ########## ## ###########.
######### (#########)	############ ### ######, ############# ##############.
########## (##########)	############ ### ######, ####### ##########, ########### ### ###–##### ########## ########## # ##### ########## ### ######### ##–####.
####### (#####)	################## #######, ####### ##### ####### # ##### ## ###### ###. # ####### ######## ########## # ################## ####### ##–#####, ##########, ####### ##### ## ########, # # ###, ### ########–######## ##########.
###### (######)	##########, ########## ## ############# ####### ## ############## ## ##### ########## # ########## ## #### ########### ### #########–##### ##########.
########## (########)	#### ## ####### ######## ##### ################, ####### #### ###: ##############, ########## ######## ########, ########## ####### # ########## ###### ###############.
###### (######)	##### ## ##### ### ######## ########## ######### #######, ########–### ########### ########## ##############, ######### # #### (####–## ########## ###########) ######## ####, ################ ## ###–##.
######## (######)	###### ##### ################ ##########, ###########, ### ######–###### ####### ### # ########### ######. ######## ###### #######

	## ####### #######, ## ##### ### ###### ##########, #### ######### ###### ########## ## ### ###### ##########.
###### (######)	##########, ########### ## ##### ########### ### ####### # #####–###, ############ ################## ##########, ######## #######–### ########## # ############## ### ########### ######.
###### (########)	##### ########, ############### ####### ### ######### ##########–#####, # ######### ######## ###############. ######## ### ######## ## ###### ########, ### ### ## #### ########, ########### #### # #### ### #######, ##### ########### #### # ## ## ########.
##### (########)	########, # ####### ###### ########## ########## ########. #### ## ####### ######### ###, ########## #######, ######## ############## ######### # ####### ##### #########.
#### (#####)	#### ##########, ######### # ####### #######, ########, ###### ### ######## #####, ####### ######### ###### ############ ### ##### #############.
########## (############)	################## ######## ## ###### # #### ## ########## # ###### # #### ## ########## #### ## ###### #######, ####### # ############### # ############ ###### # ########## ######### ######.

2.2. #######

########, ############ ####, ### ###### ####### ########.

2.2.1. ############ ###### #

alice, ########### ####### ##(1) ### ####, ##### ##### ############## root.

```
% whoami
alice
% ls -l `which su`
-r-sr-xr-x  1 root  wheel  10744 Dec  6 19:06 /usr/bin/su
% su -
Password: xi3kiune
# whoami
root
```

- ########### ######## alice.
- ####### ####### ######## root.
- ####### ##(1) ######## ### ########, ### # ########.
- ################## ###### ######## xi3kiune.
- ############ ######### root, # ###### ####### # ####### ##(1) ######### ### ########## # ####### root.

2.2.2. ###### # ######

eve, ########## ########## ###(1)########### # login.example.com, # ######## ##### ### ############ bob. ### ###### ### ######## ###### ########!

```
% whoami
eve
% ssh bob@login.example.com
bob@login.example.com's password: god
```

```
Last login: Thu Oct 11 09:52:57 2001 from 192.168.0.1
Copyright (c) 1980, 1983, 1986, 1988, 1990, 1991, 1993, 1994
        The Regents of the University of California.  All rights reserved.
FreeBSD 4.4-STABLE (LOGIN) #4: Tue Nov 27 18:10:34 PST 2001

Welcome to FreeBSD!
%
```

- ########### ######## eve.
- ######## ######## ######## ###(1) ############ ###.
- ######## ######## ######## ####(8) ## ###### login.example.com
- ######## ######## ######## bob.
- ###### ############## ######## god.
- #### ##### ## ##### # #######, ## ############ ######## root.

2.2.3. ######

######### ######## #########, ############ ## ####### ## ######### ### sshd:

```
sshd   auth        required      pam_nologin.so  no_warn
sshd   auth        required      pam_unix.so     no_warn try_first_pass
sshd   account      required       pam_login_access.so
sshd   account      required       pam_unix.so
sshd   session      required      pam_lastlog.so  no_fail
sshd   password      required       pam_permit.so
```

- ### ######## ########### # ###### sshd (### ## ########### ########## ######## ####(8)).
- auth, account, session # password ######## ############.
- pam_nologin.so, pam_unix.so, pam_login_access.so, pam_lastlog.so # pam_permit.so ######## ########. ## ##### ####### ###–##, ### pam_unix.so ######### ## ####### #### ### ########## (############### # ########## ######## ########).

3. ######

3.1. ########## #

##############, ############### # ###### ##########, ###### ## ####### ########### ####.

auth

##############. ### ##########, ########## ######, ######### ############## ########## # ####–##### ########## ####### ######. ### ############# ### #########:

- ####### ###_############(3) ################ ##########, ###### ########## ################–### #### # ######### ### ## #########, ########## # #### ###### ### ########## ## ####### #####–#########.
- ####### ###_#######(3) ############# ########## ####### ######, #####, ### ############# ####–########, ######## # ####### # ########### ## ############# ########.

account

########## ####### #######. ### ########## ############ ####### ########### ####### ######, ## ######### # ###############, #####, ### ########## # ####### ## ###### ####### ##### ### ######## #######. ## ############# ############ ########:

- ####### ###_####_####(3) #########, ######## ## ############# ####### ######.

session
: *########## #######.* ### ########## ############ ######, ######### # ############# # ######### ######, #####, ### #### ###### #############. ### ############# ### #########:

  - ####### ###_####_#######(3) ######### ########, ######### # ############# ######: ########## ####### # #### ###### utmp # wtmp, ###### ###### ### # ### #####.

  - ####### ###_#####_#######(3) ######### ########, ######### # ######### ######: ########## ##–##### # #### ###### utmp # wtmp, ########## ###### ###### ### # ### #####.

password
: *########## #######.* ### ########## ############ ### ######### ##### ##############, ########## # ####### #######, ## ####### ######### ### ##### ######## ### ####### ############ ######## ###. ### ############# ############ ########:

  - ####### ###_#########(3) ######## #### ##############, ########## ########, ### ## ###### ### #######, ## ############# ##### # ### #####.

3.2.

###; # ##### ######, ## ############# ##### ### # #######–### #####. ###### ### ############ ##### ############### ##### ############ ####, ####### ######### ######### ##### ### ######## ########## ######### ###### ########## #########; # ######### ####–###### ### ########## ###############, # #######, ######### #### ###### ####### ####®, ####### ###, #### ### ######.

3.2.1. ##########

pam_*mechanism*.so (########, pam_unix.so ### ######### ####®.) # ###### ########### ###### ######### ###### ############ ### ###### #####–####, # # ## ### ##########, ##### ######## #########, # ### ##########. # #######, # #######™ #####–## ###### pam_dial_auth.so.1, ####### ##### ############ ### ############## ############, ########## ## ############# ####### #####.

3.2.2. ######

########### ########## ### ## #######, ####### #### ######## ## #########, ## ############ ###### ###### ### ######## ###. ### ##### ######### # ######### ### ###### ############## ##########, ######## ##### #### ############ ## ####### ######## ######### #########, ### ### ####### ########## #######–######## ###### ######### ####### ###.

#######, # ###### #######, #### ######, ####### ##### ### ## ##### ##### ######, ### # ########## ### (## ###### ###### 2), # ########## ###### ### ######, ###### #### ###### # ######### ####### ## ### ##–######. ####### ### ###### ########## ##### ############### ###### ######, ### #### ##### (### ###### ###########) ########## ##### ############ ### ########### ######### ###### #######.

#######™ ##### ##### ######, ############# ##### ###### # ### ## #############, ###### ### ##### ######## ###### ##### # ###### ########## # ############.

3.3. ####### #

##############, ########## ### ######## ######### ######## ### ######, ###–###### ### ###### ####### ###_#####(3). ######## ##########, ### ###### ############## ####### ## ##############, # ######## # ################ #####. ### ########## ###### ################ ######–### ###: ########### ############## ########## ######## ############ ####### (# ##### ####### ## #########) ####### ############### ########## #####.

######## ######## ## ######## ########, ## ###### ## ###### ## ######## ###. ###### ###### ############ ###### ################### ################ ############, ######## ########## ######, ######### (#######–########) ######### ### ######## # ######, # ############ ####, ############, ### ################ ###–######### ## ###### ###.

######### ###### ############ ###### ########## ### ######### ################ ###### ###. ########–## ###### ######### ########### ######:

binding
: #### ###### ######### ########, # ## ##### ## ########## ######## # ######## ## ######## ############, ## ######## ###########, # ###### ##############. #### ## ###### ########## ########, ## #######–#### ########## ###### ########, ###### ###### ###########.

  #### ########### #### ### ######## ######### ### # #######™ 9 (#####™ 5.9), # ############## # #######.

required
: #### ###### ######### ############## ######, ########### ########## ###### #######, ###### ######–#########, #### ######## ###### ###### ## ########## ############. #### ## ###### ######### ####–######### ######, ######## ######## #### ###############, ## ###### ###########.

requisite
: #### ###### ########## ############## ######, ########### ########## ###### #######, ###### ###–############, #### ######## ###### ###### ## ########## ############. #### ## ###### ############ ############, ## ######### ######## ########## ############, # ###### ###########.

sufficient
: #### ###### ######### ############## ######, # ## #### ## ########## ######## # ######## ## ######–### ############, ## ######### ######## ########## ############, # ###### ###############. #### ###### ######### ############, ## ######### ############ # ######## ############## ######.

  ### ### ######### ###### ###### ###### ######### ##########, ######## ### ### ############## # ##–######## ######## # ########, ############## ###### #### ############ ########## #### binding, #### ########## ### ############.

optional
: ###### ###############, ## ######### ########## ############. #### ### ###### # ######## ######## ### optional, ## ################ ###### ### ########.

##############, ### ########### ######## ##########, # ######## ########### ########, # ######### ###### ######, ############## # ######## # ######## ## ############, #### ###### ## ###### ######## #### ## ###### ##########, ### ########## ######### ## ###### (## ######## ########## ######, ########## ############## ###### ### ######## binding ### sufficient, #### ############## # ######## requisite). ###### ###############, #### ###### ### ###### ## ######## #### #### ######, # ### ############## ###### ######## ############## ######.

########, ### ########, #### ### ## ###############, ########### #### # ### ## ###### ######### ### # ###### ########. # ########, ######, ################ ###### # ###### ############ # ######## ######## ###### #### ###### ######### ### # ########## ###########, ######### ######### ######## ######### ### ######. ### ######## ######### ######### ###### ###### # ### ## ###### ######## ######## # ## ########## ########.

3.4.

######### #### ######## ############### ###### ####. ########, ### # ######, #### ##### ## ##########–### ##### ############ ########, ###### ###### ###### ######## ################ ######### ## ###### # ######## ##########.

1. #### ### ##########, ###### ######## ########## ########### ##### ########### ## ### ###########–## ##### ## ##### ######## ############## root ### # ############## ############ root.

2. ###### ######## ####### ###_#####(3) ### ############ ########## ### # ####### ##### ####### # ####### ####### ######, # ##### ########## ########## ####### #######.

3. ###### ######## ######### ##########, ########## # ########## (#####, ### ### ############ ########## # ### #####, ## ####### ####### ######), # ########## ## # ### ### ###### ####### ###_###_####(3).

4. ###### ######## ####### ###_############(3) ### ############## ##########.

5. ###### ######## ####### ###_####_####(3) ### ######## ####, ### ########## ####### ###### ##–###### # #########. #### ###### #####, ## ### #### #####, ###_####_####(3) ######### ######### PAM_NEW_AUTHTOK_REQD, # ## PAM_SUCCESS.

6. #### ## ########## #### ### ####### ######### PAM_NEW_AUTHTOK_REQD, ## ###### ######## ####### ###_#########(3) ### ####, ##### ######## ####### ######## #### ############## ### ########### ####### ######.

7. ######, ##### ######### ######### ################, ###### ######## ####### ###_#######(3) ### ##–####### ########## ########## ####### ######. ####### ### ########, ###### ### ## ######## ### ##########, # ######### ## ##### ########## ##########.

8. ##### ######### ########## ##########, ###### ######## ####### ###_####_#######(3) ### #######–##### ######.

9. ###### ###### ######### ### ######, ####### ########## ###############, ############# ########## ########.

10. ##### ####, ### ###### ######## ############ #######, ## ######## ####### ###_#####_#######(3) ### ######## ######.

11. #######, ###### ######## ####### ###_###(3) ### ########## ########## ### # ###, ### ###### # ### ######### # ########## ########## # ######## ###### ####### ##### ##########.

4. #########

4.1. ##### #######

4.1.1. #### **/etc/pam.conf**

########### ###### ####### ### ######## /etc/pam.conf. ## ######## ### ######## ### ### ##### #######. ###### ###### ##### ######### #### ### # #######, ### ######## ####:

```
login   auth    required        pam_nologin.so  no_warn
```

#######: ### ######, ### ##########, ########### ####, ### ###### # ######### ######. ##### ############### #### ################ ### ############## ######### ######.

######/########## ########### ######### #######, # ##### ##########, ###, #### ####–### ########## ##### ### ##### # ### ## ###### # ########## ######## ########, ####### ########### ######### ######## ## ######. # ######## ## ############ ###### ## ### ###### ############ #######–###### ## ###########, # ############ # #######™ ##### pam.conf ###### ### # #######, ## # ########### ################ ##### ## ######## ####### ###### ######## ############ ## ########. ######## ##–### ## #### ########; ### ##### #### # ### ## #####.

4.1.2. ####### **/etc/pam.d**

####### # ######### ############ ############## ######## #########, ####### ### ####### ######## ################. # #### ##### ###### ######## ########## # ######### ##### # ######, ################ #######, # ######## ### ###########. ### ##### ########## # ######## /etc/pam.d/.

#######, ################ ## #######, ##### ###### ###### ####, ###### #### ##### # ##### pam.conf: #### ##### ####### #######. ##### #######, ###### ####### ###### ##### pam.conf ## ########### ####### ######### ######### ###### # ##### /etc/pam.d/login:

```
auth    required        pam_nologin.so  no_warn
```

##########, ######## ############# ##### # ### ## ####### ### ########## ########, ######## ###### ### ####### # ### ## ##### ###### ########. # #######, ### ######–####### ### ## ##### ######## ### ######## su # sudo, ##### ####### #########:

```
# cd /etc/pam.d
# ln -s su sudo
```

########, ###### ### ### ####### ############ ###### #####, # ## ### ######### # ##### ########, ### ### #### # ### ## #### ##### ############## ### ########## ######## # ####### ##########.

#####, ## ######## pam.d ###### ######### #####–######### ####### ### ########### ####### ######### ############# ##### ###### #######.

4.1.3. ####### ######

####, ######## ### ##### ########## # ########## ######. ### #####, #### ######## ### ###### # #### ## ######## ######## # ###### ######?

########## ########, ### ####### ############ ### ############# ## #######.

4.2. ######### ######

4.1, ###### ####### ####, ###### ###### ##### /etc/pam.conf ####### ## ####### ### ######## ########## #####: ##### #######, ##### ##########, ############ #####, ##### ###### # ############## ########## ######, ######## ##### ##############.

(#### ## ######) ######## ###### ##########, ######## #### ###### ###########. #### ## ## #######, ########## # ############ ## ########### ########## ### ########### ############## ##### #######.

########, ### #### ## ########### /etc/pam.d/ ###### /etc/pam.conf, ## ### ####### ######## ###### ##### ##–######, # ########## ## ##### #########, ######## # ##### ###### ########## # ######## ##########.

####, ######### # ###### 3.1, ########## ##########.

####, ######### # ###### 3.3, ######## ######### #########, # ####### ##########, ### ################ ############ ## ###### ###. # ######### ###–########### ############## #########, ######## ######### ######## ########, ######### # ###### ###–###### ##### ########, ## ##### ####### ########, ### ### ## ## ######## ########### # ##### ###### ## ######## ############### ######## ######## # ######### (# ## ########### ########## ## ####### ###–########### # #######™ # ########). ## ######## ######### ### ####, ### # ######## #### ######### ## ###############.

4.3.

########, ### ########## ############## #######.

######, ##### ########## ######## ######## ###_#####(3), ########## ### ######### ######## ### ###–######## ######## # ########### ###### ######## ######## (## ##### ### ###### ##########). #### #### ### ######## ########## #### ######## ######## ########, ## ##### ########### ########### ############### ######## ## ######## ### ######## other.

###, ########## ### ######## ## ######## ###–### ########## # ######## #######, ############### #######, # ###### ######, ############ # #######, # ### #######, # ##### ### ########## # ############. ##### ####### ######### # ####### #######, ### ###### # ############ ## #### ####### ### ########## ########## ############ ### ####, ### ###### ######. ## ########## ############, ######## ##### ######## ####, ########### ##### ########:

######## 1. ######## ######## ######### ######## ###

	PAM_SUCCESS	PAM_IGNORE	other
########	## (!####) #####;	#	#### = ####;
#########	#	#	#### = ####;
##########	#	#	#### = ####; #####;
###########	## (!####) #####;	#	#
#########	#	#	#

fail ######### ######### ######### # ##### ######### ########, ### ##### ######### ########, ######### ########## ### ######, ############ ###### ########, ############ #########. # ######### ###–### ############ PAM_SUCCESS.

##, ### ### ###### PAM_NEW_AUTHTOK_REQD ################ ### #####–### #########, ##### ######, ##### ###### ######### ########, # ## ######## #### #### ###### ######### PAM_NEW_AUTHTOK_REQD, ##### ######### ######### ######### PAM_NEW_AUTHTOK_REQD.

##, ### ###_#######(3) ########, ### ###### binding # sufficient ######## #####–######## required.

######## # ######### ########### ######## ##, ### ######## ###_#########(3) ############ ###### #####–## ###### (#### ### ### ################ #########, # ### ### ### ######### ######## ######), # ## #####–########### #### ### ########, ### ###### binding # sufficient ######## ############## required.

5. ###### ### ##

5.1. ###_####(8)

###_####(8) ######## ##### ## ########## ######### #######; ## ##### ###### ## ########## ##–####### PAM_AUTH_ERR. ## ######## ### ######## ########## ######## (######## ### ## #### ###### #####–##) ### ########## ######## ######## sufficient.

5.2. ###_####(8)

###_####(8) ###### ######## #### ######### # ######## ############## ### ######### PAM_TEXT_INFO. # ######## ######## ### ########, ## ##### ##### ############## ### ###### #########, ##### ### ############## ###### #### ## ########### ## ######## ######### ##############.

5.3. ###_####(8)

###_####(8) ############ ###### ########## ### ######## ### ### ######### ### ##########, # ######### ######### ########## #### ######### # ######## ########## ######### ######. ##### ## ###–###### ########## ######## ### ############## ### ######## # ###### ########### # ######## ######### ############ ######### ######## ############.

5.4. ###_########(8)

###_########(8)

5.5. ###_#####(8)

###_#####(8) ######### ### ######### ########## # ########## ## ## ######## # ########## ######## ###### (###### wheel ### ##(1)). # ###### ####### ########### ### ######### ########## ######### ####### ### ##(1), #### ##### # ##### ###### ##########, ##### ### ######### ########## ##### ############ ## ########## #######.

5.6. ###_#####(8)

###_#####(8) ######### ########## ######## ##### # ############ ########## #### ##### # #######. ## ###### ##### ############ ######### ##########, ###### ######### ## ######### ######–## #### ###### ###### ### ############ #####, ################ ######### #####. ###### ###_#####(8) ##### ##### ############ ### ########## ######### ###### ## ###.

5.7. ###_###5(8)

###_###5(8)

5.8. ###_###(8)

###_###(8)

5.9. ###_#######(8)

###_#######(8)

5.10. ###_#####_######(8)

###_#####_######(8) ############ ########## ######### ### ########## ######## ########, ##–##### ###### # ######## ########## ## ####, ########## # ####### #####.######(5).

5.11. ###_#######(8)

###_#######(8) ######### ##### ##### ## ############ ####, #### ########## #### /var/run/nologin. ###### #### #### ######### ######## ########(8), ##### ## ################ ########## ###### ####### ######## ##### #### #####.

5.12. ###_####(8)

###_####(8) ######### ##### ############## ####(4). ####### ####(4) ######## ########## ####–## ## ##### ############, ### ####### ##### ## ###### ###### ######## ###### ######## ## ####### # ######## #####, ### ### ##### ##### #### ##### # ######### ######## #####, ####### ######## #####, ### ######### ## ############ ########## ######. ##### ####, ### ### # ####(4) ####### ######## ## ############ ######, ##### ## ####### ### ######### #######, ### ##### ######## ########## # ######, ########## ## ####### ########.

5.13. ###_##########(8)

###_##########(8) ######### ###### ###_####(8). ### ###### ########## # ########## ########–###, ########## ###### ##########(5), ####### ########## #######, ### ####### ############, ######### ######### ############## ########## ####(4), ##### ############ ############## ######. #### ##### ## ############ ### ####### ############# ############## ## ###### ####### # ############# ######.

###_##########(8) ###### #### ######### # ####### auth ### requisite ##### ## ##### ###### sufficient ### ###_####(8), ## ##### ###### ####### ########.

5.14. ###_########(8)

###_########(8)

5.15. ###_######(8)

###_######(8) ######## ##### ## ##### ####### ## #########; ## ##### ###### ## ######## PAM_SUCCESS. ## ####### # ######## ###### ####### ##### ### ########, ##### #### ### ####### ######–#### ####### # ######### ###### ######### #######.

5.16. ###_######(8)

###_######(8)

5.17. ###_######(8)

###_######(8)

5.18. ###_######(8)

###_######(8) ########## ############# ######### # ### # ###### # ### ######, #### ######## ## ############ ########, ### ########## (###############, ### ### ######### #########) ##### 0. ### ####### ### ######### ########, ##### ### ##(1) ### ######(1), # ####### ############ root ###### ##### ############## ######.

5.19. ###_#########(8)

###_#########(8)

5.20. ###_####(8)

###_####(8) ########## ############# ######### ##### # ###### #####, ##### ##### ########## ############# ####### ####### ######. ###### ##### ### ########## # ######### ########, ##### ### ##(1), # ####### ############# ########## ##### #### # ######### #########.

5.21. ###_###(8)

###_###(8) ############# ### ###### ##############, ### # ######. ###### ############## ###–###### #############, ####### ######### ##### ###, ########## ########, # ##### ######### ~/.ssh, #####–############## ########### #### #######. ######### ###### ######### #########(1) # ######### #####, ####### #### ############ ## #### ###############. ##### ###########, # #########, ####### ### ######–### ###### # #######, ### # ####### # (########### ###(1) ### ####### ########## ######, ######## ##–###### # ###), ### # ## #######.

5.22. ###_#######(8)

###_#######(8)

5.23. ###_####(8)

###_####(8) ######### ############ ############## ####® ## ###### #######, ############ ####### ########(3) ### ######### ###### ####### ####### ###### # ############ ## # ###, ### #######–### #########. ## ##### ############ ######## ########## ######## ######## (########## ##### ###–##### ####### ###### # ######) # ##### #######. ########, ### ##### ######## ######, ### ### ########–### ########### ############### ##### ######### ########### ########### ######### ## ####### #### ######### ########.

6. ################ ########## #

#######.

7. ################ ######

#######.

#. ######

##(1) # ############## ###. ########, ### # ### ######–###### ########## ### ####### ####### ############## #######_#######(3), ########## ####### #####–###### # ##### security/openpam.h. #### ## ########## ####### ### ########## # ####### # ###### ########–### ###, ### ########## ##### ####### ########## ####### ##############. ######## ####### ######–######## ########## ###### ########; ##, ### ######### # ########## #, ###### ####### ############## *PAM*, ###### # ######## ######### #####, ## # ######## ########## ############## ## #####.

```
/*-
 * Copyright (c) 2002,2003 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ‘‘AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * $P4: //depot/projects/openpam/bin/su/su.c#10 $
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/su.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <sys/param.h>
#include <sys/wait.h>

#include <err.h>
#include <pwd.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <syslog.h>
#include <unistd.h>

#include <security/pam_appl.h>
#include <security/openpam.h> /* for openpam_ttyconv() */
```

```
extern char **environ;

static pam_handle_t *pamh;
static struct pam_conv pamc;

static void
usage(void)
{

 fprintf(stderr, "Usage: su [login [args]]\n");
 exit(1);
}

int
main(int argc, char *argv[])
{
 char hostname[MAXHOSTNAMELEN];
 const char *user, *tty;
 char **args, **pam_envlist, **pam_env;
 struct passwd *pwd;
 int o, pam_err, status;
 pid_t pid;

 while ((o = getopt(argc, argv, "h")) != -1)
  switch (o) {
  case 'h':
  default:
   usage();
  }

 argc -= optind;
 argv += optind;

 if (argc > 0) {
  user = *argv;
  --argc;
  ++argv;
 } else {
  user = "root";
 }

 /* initialize PAM */
 pamc.conv = &openpam_ttyconv;
 pam_start("su", user, &pamc, &pamh);

 /* set some items */
 gethostname(hostname, sizeof(hostname));
 if ((pam_err = pam_set_item(pamh, PAM_RHOST, hostname)) != PAM_SUCCESS)
  goto pamerr;
 user = getlogin();
 if ((pam_err = pam_set_item(pamh, PAM_RUSER, user)) != PAM_SUCCESS)
  goto pamerr;
 tty = ttyname(STDERR_FILENO);
 if ((pam_err = pam_set_item(pamh, PAM_TTY, tty)) != PAM_SUCCESS)
  goto pamerr;

 /* authenticate the applicant */
 if ((pam_err = pam_authenticate(pamh, 0)) != PAM_SUCCESS)
  goto pamerr;
 if ((pam_err = pam_acct_mgmt(pamh, 0)) == PAM_NEW_AUTHTOK_REQD)
  pam_err = pam_chauthtok(pamh, PAM_CHANGE_EXPIRED_AUTHTOK);
 if (pam_err != PAM_SUCCESS)
  goto pamerr;

 /* establish the requested credentials */
```

```
 if ((pam_err = pam_setcred(pamh, PAM_ESTABLISH_CRED)) != PAM_SUCCESS)
  goto pamerr;

 /* authentication succeeded; open a session */
 if ((pam_err = pam_open_session(pamh, 0)) != PAM_SUCCESS)
  goto pamerr;

 /* get mapped user name; PAM may have changed it */
 pam_err = pam_get_item(pamh, PAM_USER, (const void **)&user);
 if (pam_err != PAM_SUCCESS || (pwd = getpwnam(user)) == NULL)
  goto pamerr;

 /* export PAM environment */
 if ((pam_envlist = pam_getenvlist(pamh)) != NULL) {
  for (pam_env = pam_envlist; *pam_env != NULL; ++pam_env) {
   putenv(*pam_env);
   free(*pam_env);
  }
  free(pam_envlist);
 }

 /* build argument list */
 if ((args = calloc(argc + 2, sizeof *args)) == NULL) {
  warn("calloc()");
  goto err;
 }
 *args = pwd->pw_shell;
 memcpy(args + 1, argv, argc * sizeof *args);

 /* fork and exec */
 switch ((pid = fork())) {
 case -1:
  warn("fork()");
  goto err;
 case 0:
  /* child: give up privs and start a shell */

  /* set uid and groups */
  if (initgroups(pwd->pw_name, pwd->pw_gid) == -1) {
   warn("initgroups()");
   _exit(1);
  }
  if (setgid(pwd->pw_gid) == -1) {
   warn("setgid()");
   _exit(1);
  }
  if (setuid(pwd->pw_uid) == -1) {
   warn("setuid()");
   _exit(1);
  }
  execve(*args, args, environ);
  warn("execve()");
  _exit(1);
 default:
  /* parent: wait for child to exit */
  waitpid(pid, &status, 0);

  /* close the session and release PAM resources */
  pam_err = pam_close_session(pamh, 0);
  pam_end(pamh, pam_err);

  exit(WEXITSTATUS(status));
 }

pamerr:
 fprintf(stderr, "Sorry\n");
```

```
err:
 pam_end(pamh, pam_err);
 exit(1);
}
```

#. ######

###_####(8), ############### ###### ####### ##############. ### ###### ######### # ######## # ############ ## ########## ###, ## ########## ########### #######–### #######, #### ### ############: ######## ############# ####### ###_###_#######(3), ####### ###–######## ######## ########## ##### ###### ##############.

```
/*-
 * Copyright (c) 2002 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ‘‘AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * $P4: //depot/projects/openpam/modules/pam_unix/pam_unix.c#3 $
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/pam_unix.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <sys/param.h>

#include <pwd.h>
#include <stdlib.h>
#include <stdio.h>
#include <string.h>
#include <unistd.h>

#include <security/pam_modules.h>
#include <security/pam_appl.h>

#ifndef _OPENPAM
static char password_prompt[] = "Password:";
```

```
#endif

#ifndef PAM_EXTERN
#define PAM_EXTERN
#endif

PAM_EXTERN int
pam_sm_authenticate(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{
#ifndef _OPENPAM
 struct pam_conv *conv;
 struct pam_message msg;
 const struct pam_message *msgp;
 struct pam_response *resp;
#endif
 struct passwd *pwd;
 const char *user;
 char *crypt_password, *password;
 int pam_err, retry;

 /* identify user */
 if ((pam_err = pam_get_user(pamh, &user, NULL)) != PAM_SUCCESS)
  return (pam_err);
 if ((pwd = getpwnam(user)) == NULL)
  return (PAM_USER_UNKNOWN);

 /* get password */
#ifndef _OPENPAM
 pam_err = pam_get_item(pamh, PAM_CONV, (const void **)&conv);
 if (pam_err != PAM_SUCCESS)
  return (PAM_SYSTEM_ERR);
 msg.msg_style = PAM_PROMPT_ECHO_OFF;
 msg.msg = password_prompt;
 msgp = &msg;
#endif
 for (retry = 0; retry < 3; ++retry) {
#ifdef _OPENPAM
  pam_err = pam_get_authtok(pamh, PAM_AUTHTOK,
      (const char **)&password, NULL);
#else
  resp = NULL;
  pam_err = (*conv->conv)(1, &msgp, &resp, conv->appdata_ptr);
  if (resp != NULL) {
   if (pam_err == PAM_SUCCESS)
    password = resp->resp;
   else
    free(resp->resp);
   free(resp);
  }
#endif
  if (pam_err == PAM_SUCCESS)
   break;
 }
 if (pam_err == PAM_CONV_ERR)
  return (pam_err);
 if (pam_err != PAM_SUCCESS)
  return (PAM_AUTH_ERR);

 /* compare passwords */
 if ((!pwd->pw_passwd[0] && (flags & PAM_DISALLOW_NULL_AUTHTOK)) ||
     (crypt_password = crypt(password, pwd->pw_passwd)) == NULL ||
     strcmp(crypt_password, pwd->pw_passwd) != 0)
  pam_err = PAM_AUTH_ERR;
 else
  pam_err = PAM_SUCCESS;
```

```
#ifndef _OPENPAM
 free(password);
#endif
 return (pam_err);
}

PAM_EXTERN int
pam_sm_setcred(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_acct_mgmt(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_open_session(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_close_session(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_chauthtok(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SERVICE_ERR);
}

#ifdef PAM_MODULE_ENTRY
PAM_MODULE_ENTRY("pam_unix");
#endif
```

#. ###### ####### ##############

####### ##############, ########## ####, ######## ########### ########## ####### ####### ####### _#######(3) ## ########. ### ###################, # ###### ######### ########## #### # ###, ### ###### #### ##### ####### ##############, ###### ### ####### ###### ### ######## ##########. #### ##–## ## ## ########### #######, ###### ######## ######## ### # ############ #######_#######(3) # ##### #####; ## ########, ### ### ########## ####### # ######## ####### ### ############## # ############ ############.

```
/*-
 * Copyright (c) 2002 Networks Associates Technology, Inc.
 * All rights reserved.
```

```
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ‘‘AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/converse.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <unistd.h>

#include <security/pam_appl.h>

int
converse(int n, const struct pam_message **msg,
 struct pam_response **resp, void *data)
{
 struct pam_response *aresp;
 char buf[PAM_MAX_RESP_SIZE];
 int i;

 data = data;
 if (n <= 0 || n > PAM_MAX_NUM_MSG)
  return (PAM_CONV_ERR);
 if ((aresp = calloc(n, sizeof *aresp)) == NULL)
  return (PAM_BUF_ERR);
 for (i = 0; i < n; ++i) {
  aresp[i].resp_retcode = 0;
  aresp[i].resp = NULL;
  switch (msg[i]->msg_style) {
  case PAM_PROMPT_ECHO_OFF:
   aresp[i].resp = strdup(getpass(msg[i]->msg));
   if (aresp[i].resp == NULL)
    goto fail;
   break;
  case PAM_PROMPT_ECHO_ON:
   fputs(msg[i]->msg, stderr);
   if (fgets(buf, sizeof buf, stdin) == NULL)
    goto fail;
```

```
  aresp[i].resp = strdup(buf);
  if (aresp[i].resp == NULL)
   goto fail;
  break;
 case PAM_ERROR_MSG:
  fputs(msg[i]->msg, stderr);
  if (strlen(msg[i]->msg) > 0 &&
      msg[i]->msg[strlen(msg[i]->msg) - 1] != '\n')
   fputc('\n', stderr);
  break;
 case PAM_TEXT_INFO:
  fputs(msg[i]->msg, stdout);
  if (strlen(msg[i]->msg) > 0 &&
      msg[i]->msg[strlen(msg[i]->msg) - 1] != '\n')
   fputc('\n', stdout);
  break;
 default:
  goto fail;
 }
}
*resp = aresp;
return (PAM_SUCCESS);
fail:
        for (i = 0; i < n; ++i) {
                if (aresp[i].resp != NULL) {
                        memset(aresp[i].resp, 0, strlen(aresp[i].resp));
                        free(aresp[i].resp);
                }
        }
        memset(aresp, 0, n * sizeof *aresp);
*resp = NULL;
return (PAM_CONV_ERR);
}
```

##########

######

[1] *Making Login Services Independent of Authentication Technologies*. ##### ##### ####### ###. ### ############.

[2] *X/Open Single Sign-on Preliminary Specification*. ### #### #####. 1#85912#144#6. #### 1997.

[3] *Pluggable Authentication Modules*. ###### #. ######. 6 ####### 1999.

############

[4] *PAM Administration*. ### ############.

########

[5] *######## ######## OpenPAM*. ########## ########. ######## ##.

[6] *######## ######## Linux-PAM*. ###### #. ######.

[7] *######## ######## Solaris PAM*. ### ############.