

Mirroring the Virus Database

Luca Gibelli

20th September 2004

Some guidelines for people interested in contributing to the distribution of ClamAV virus database.

1 Introduction

1.1 This doc

The latest version of this document is always available at <http://www.clamav.net/doc/mirrors/>.
Before going any further, please check that you are reading the latest version.

1.2 Who is responsible for the Tj /R16 9.n1ocDatabase

Tjdbintgy virus,

Never send virus samples to ClamAV mailing-lists or developers addresses.

1.4 Getting a copy of the latest virus

1. Set up a virtual host for

<http://database.clamav.net> and http://db.*.clamav.net

Additional server aliases can be added too, but are not required. If you are using name based virtual hosts⁵ see

<http://httpd.apache.org/docs/mod/core.html#serveralias> for more information.

Here is an example for a typical setup:

```
<VirtualHost 10.1.2.3>
```

```
ServerAdmin john@clamav.foo.com
```

```
DocumentRoot /home/users/clamavdb/public_html
```

```
ServerName database.clamav.net
```

```
ServerAlias db.*.clamav.net
```

```
ServerAlias clamav.foo.com
```

```
</VirtualHost>
```

An http 47528eet

authorized_keys_noshell.sig
from <http://www.clamav.net/doc/mirrors/>

4. Verify the signature using:
\$ gpg --verify noshell.sig
from <http://www>

9.

2.5 Admin's duty

Scheduled downtimes should be announced on the clamav-mirrors mailing-list
in advance. 4.25565845 0 Tdce.duty

