## Description of real authors with biblatex

### New data field

Maïeul Rouquette Version 2.2.0 maieul <at> maieul <dot> net 26/04/2015

#### **Contents**

1	Intr	oduction	1	3	Disable realauthor use	4
2	Basic use		1	4	Customization	4
		The .bib file Loading of the biblatex	1	5	Use with biblatex-manuscripts-	1
		package	2		philology	4
	2.3	Example of result	3	6	Credits	4
	2.4	Labelname field	3			-
	2.5	Sorting	3	7	Change history	5

#### 1 Introduction

The standard biblatex fields allow to describe the author of a work, with the so called authors field. However, some works are published without name, or with pseudonyme, but the scholars know the real author. This package adds a new field realauthor, to specify the knew real author.

#### 2 Basic use

#### 2.1 The .bib file

Basically, you just have to add the real author name in the field realauthor, like in the two following examples:

```
@book{LeClerc1686,
    Publisher = {Henry Desbordes},
    Realauthor = {Jean le Clerc},
    Title = {Défense des sentimens
        De quelques Théologiens de Hollande
        sur l'histoire critique du Vieux Testament
        contre la réponse du Prieur de Bolleville},
    Year = {1686}}
```

```
@book{Simon1686,
        Address = {Rotterdam},
        Author = {{Prieur de Bolleville}},
        Publisher = {Reinier Leers},
        Realauthor = {Richard Simon},
        Title = {Réponse au livre intitulé
         sentimens de quelques Theologiens de Hollande
         sur l'Histoire Critique du Vieux Testament},
        Year = \{1686\}\}
@book{noauthor-norealauthor,
        Title = {Here an anonymous work},
        }
@book{noauthor-norealauthor2,
        Title = {Why not an other anonymous work?},
        }
@book{Author+realauthor,
        Author = {Theauthor, Name},
        Realauthor= {Therealauthor, Name},
        Title = {That is a work with an author plus a real author},
        }
@book{Only-realauthor,
        Realauthor= {Therealauthor, Name},
        Title = {Here a work with only a real author},
        }
```

#### 2.2 Loading of the biblatex package

When loading the biblatex package, use the realauthor bibstyle, which is based on the verbose bibstyle:

\usepackage[citestyle=verbose,bibstyle=realauthor]{biblatex}

Not that the package patches author and author/editorothers/translator+others+macro. If you redefine them, don't forget the patches<sup>1</sup>.

<sup>&</sup>lt;sup>1</sup>We suppose that, if you redefine them, you could understand the packages.

#### 2.3 Example of result

By default, the real author name is printed in brackets, with an equal, between fine non-break spaces, when a pseudonym is also use:

[Jean le Clerc]. Défense des sentimens De quelques Théologiens de Hollande sur l'histoire critique du Vieux Testament contre la réponse du Prieur de Bolleville. Henry Desbordes, 1686

Prieur de Bolleville [=Richard Simon]. Réponse au livre intitulé sentimens de quelques Theologiens de Hollande sur l'Histoire Critique du Vieux Testament. Rotterdam: Reinier Leers, 1686

#### 2.4 Labelname field

This package, since version 2.0.0, declares the realauthor name as the labelname, if a author name is not defined.

That implies this field is use for:

- Sorting.
- *ibid / op. cit* abreviation.

Note that this field is not affected by useauthor option, but it is by userealauthor option § 3.

Used in a bibliography macro or driver, \ifuserealauthor{ $\langle true \rangle$ }{ $\langle false \rangle$ } expands to  $\langle true \rangle$  if the userealauthor option is enabled (either globally or for the current entry), and  $\langle false \rangle$  otherwise.

#### 2.5 Sorting

The default sorting schemes nty is problematic, because it doesn't consider the realauthor field as a name. That is why the package provides two sorting scheme:

- anonymous, which but considers the realauthor field to sort list by authors' name. If an entry has both realauthor and author, only the author field we be used.
- anonymous+realauthor, which push the anonymous texts at the beginning of the list (as the anonymous sorting of the *biblatex-anonymous+* package), but considers the realauthor field to sort list by authors' name (as the realauthor sorting).

See the example file to have an illustration.

#### 3 Disable realauthor use

The package, or rather biblatex, defines an userealauthor option, which can be settable on a per-entry basis in the options field, or by entrytype, using \ExecuteBibliographyOptions, or globally, when loading biblatex.

This option, when set to false:

- Disable use of realauthor as label name.
- Disable use of realauthor for sorting.
- With the default style, and contrary to the useauthor option, also disable printing of realauthor.

#### 4 Customization

You can redefine the \mkrealauthor command to change the way the real author name is printed. Default value is:

```
\newcommand{\mkrealauthor}[1]{\mkbibbrackets{#1}}
```

You can also redefine the \realauthorequalsign command to change the sign before the real author name when a pseudonym is also used. Default value is:

\newcommand{\realauthorequalsign}{\addnbthinspace=\addnbthinspace}

For more customization, you have to redefine the macros defined in realauthor.bbx.

## 5 Use with biblatex-manuscripts-philology

To use this package with the features of biblatex-manuscripts-philology, you must use the package biblatex-multiple-dm.

#### 6 Credits

This package was created for Maïeul Rouquette's phd dissertation<sup>2</sup> in 2014. It is licensed on the *ETFX Project Public License*<sup>3</sup>.

All issues can be submitted, in French or English, in the GitHub issues page<sup>4</sup>.

<sup>&</sup>lt;sup>2</sup>http://apocryphes.hypothese.org.

<sup>3</sup>http://latex-project.org/lppl/lppl-1-3c.html.

<sup>&</sup>lt;sup>4</sup>https://github.com/maieul/biblatex-realauthor/issues.

# 7 Change history

2.2.0 2015-04-26						
Add new userealauthor option. Require biblatex 3.0						
Provide good file version in the \ProvidesFile command.						
2.1.0 2014-10-30						
Add new realauthor scheme						
2.0.0 2014-10-27						
Print the realauthor name in bracket when cited in a abreviated form.						
Define realauthor as labelname. $\dots \dots \dots$						
1.1.0 2014-10-09						
In a bibliographical list, print the last name before the first name of a real author, exceptif a author is defined.						
Add anonymous+realauthor sorting scheme						
Compatibility with @article entry.						
1.0.0 2014-06-25						
First public release.						